

# ET40/ET45

**Enterprise Tablets** 

# SELLING GUIDE

June 13, 2022





## Contents

- 1. The Opportunity
- 2. Target Markets
- 3. Portfolio Positioning
- 4. Customer Engagement Questions
- 5. 8-inch Global Competitors
- 6. 8-inch Regional Competitors
- 7. 10-inch Global Competitors
- 8. Sales Tools

# **The Opportunity**

# ET40/ET45

The right-priced rugged tablets that have it all — right out of the box

#### Increase penetration in the value tier tablet market

Cost-effective price point to compete with consumer-grade, line of business tablets

#### Consumer styling that is business tough

Zebra's thinnest enterprise tablet; rugged right out of the box

#### **Integrated barcode scanner**

Choice of three Zebra enterprise-class scanners

#### A multi-year lifecycle

Same device will be available for three years with six years of service and support

#### **Advanced wireless connectivity**

Fastest Wi-Fi and cellular speeds with support for Wi-Fi 6 and 5G (ET45)

#### **Software differentiators**

Complimentary Zebra Mobility DNA Professional tools and optional Mobility DNA Enterprise





# Unlocking the value tier

With the ET40/ET45, Zebra is penetrating the lower cost value tier tablet market, which has been almost exclusively served by consumer tablets

## Before...

Enterprises purchased seemingly inexpensive and good-looking consumer tablets because they're "good enough" for the job

But they end up paying more in the long run because...

- \$ Devices fail with frequent bumps and drops
- \$\$ An additional rugged boot or scanning sled is needed to make the solution work
- \$\$\$ Service and support are insufficient
- \$\$\$\$ Workers are stuck performing enterprise tasks with minimal enterprise-grade functionality

## Now...

There's no need to compromise. The ET40/ET45 offers...

Affordability and sleek consumer styling

Plus

- Enterprise functionality
- Rugged design out of the box
- Enterprise lifecycle, service and support
- Low total cost of ownership (TCO)

# Why "good enough" isn't good enough



## ET40/ET45 vs. consumer tablets

|                    | Zebra ET40/ET45   | A consumer tablet   |
|--------------------|---|---|
| Durability         | Rugged design out of the box. Zebra rugged boot available for even more demanding environments  | May lack drop spec and sealing out of the box; requires a third-party rugged boot accessory to add any durability   |
| Barcode scanning   | Integrated enterprise-class scan engines from the world leader in barcode scanning  | Lacks integrated barcode scanning. Customers either need to: 1. Purchase a third-party scanning sled: increases overall cost, adds bulk/weight, lowers rugged specs and adds management complexity 2. Rely on the camera for barcode scanning: requires a separate software license |
| Hardware lifecycle | Three years   | One or two years – Enterprises may need to purchase a different model when expanding their fleet or replacing devices. These mixed-model deployments are more complicated and time-consuming to manage  |
| Support            | Support provided for six years from purchase date; enterprise-class maintenance plans   | Support may end at EOS  |
| Security           | LifeGuard for Android™ extends security support for the life of the device; provides updates as frequently as every 30 days!  | Security support may stop after 4 years. Update patches provided less frequently – may result in security risks   |
| Battery            | Power that's made for the enterprise; user replaceable batteries and an optional hot-swappable secondary battery eliminate downtime from a dead battery; can power back-to-back shifts on a single charge | Batteries may not be user-replaceable; workers will need to search around for a charge cable when the battery is low  |

EBRA CONFIDENTIAL INTERNAL USE ONLY

## ET40/ET45 vs. consumer tablets (continued)

|                       | Zebra ET40/ET45   | A consumer tablet  |
|-----------------------|---|--|
| Voice solutions       | Get out of the box collaboration with Zebra's Push-to-Talk Express, Workforce Connect PTT Pro and Workforce Connect Voice*  | Customers must rely on third party applications to enable staff PTT, secure text messaging and PBX functionality. These apps require testing and validation. |
| Accessories           | Comprehensive enterprise-class accessory ecosystem – all developed, sold and supported by Zebra   | Limited enterprise accessories; customers must research, evaluate and purchase third party accessories   |
| Wireless connectivity | Count on the latest and fastest wireless connections, including 5G and Wi-Fi 6  | Consumer tablet may not support the latest wireless connectivity — none of the ET4x 10-inch primary competitors currently support 5G or Wi-Fi 6              |
| Wi-Fi performance     | Enterprise-grade Wi-Fi radios; support for more Wi-Fi protocols; advanced tools and technology for unsurpassed Wi-Fi connectivity (with optional Mobility DNA Enterprise) | No comparable Wi-Fi tools; customers get a standard consumer smartphone Wi-Fi radio; Wi-Fi issues will be harder to troubleshoot and can impact productivity |

8

<sup>\*</sup> Workforce Connect available Q4 2022

# **Target Markets**

## Target Markets



#### Retail

Improve store operations and enhance the customer experience with faster, easier checkouts

#### **Target users**

Store associates, Store managers

#### **Key use cases:**

- Assisted selling inventory lookup, price checking
- Line busting pull people out of long lines during peak times and check them out remotely
- Point of sale leverage Workstation Connect\* in different areas throughout the store to check out shoppers; POS at curbside pickup
- Inventory management back of store
- Staff management and communication



#### Hospitality

Improve operations and enhance the guest/ customer experience with faster service

#### Target users

Hotel check-in, restaurant hostess and wait staff

#### **Key use cases:**

- Check-in check in at hotel front desk or restaurant hostess stand
- · Ordering food in restaurant
- Line busting pull people out of long lines during peak times and complete their orders remotely
- Point of sale leverage Workstation Connect\* in different areas throughout the store to check out guests; POS at curbside pickup or drive-through
- · Staff management and communication



#### **Transportation & Logistics**

Improve operations and keep drivers connected; speed up delivery times and increase customer satisfaction

#### **Target users**

Delivery drivers

#### Key use cases:

- · Routing and dispatch
- Proof of pickup and delivery signature capture and image capture
- · Invoicing and Mobile Point of Sale
- Inventory management
- Parcel track and trace
- Staff management and communication

While core target markets include retail, hospitality and T&L, the ET40 and ET45 are ideal in any market where businesses need a low-cost tablet with enterprise features and are considering line of business tablets

# **Portfolio Positioning**

#### **Tablet Portfolio**











#### **Operating System**









#### **Features**

#### Right-price rugged tablets that are built for the enterprise

- 8 in. and 10 in. models
- Thinnest and lightest Zebra tablets
- Integrated scanner with choice of three Zebra scan engines
- · Z-Backs add functionality; additional power and payment modules
- Advanced wireless communications
- Rugged boot option increases durability

#### Surprisingly rugged, thin and lightweight for everyday business use

- 8 in. and 10 in. models
- Z-Backs add functionality; additional power, scanning and payment modules
- 8 in. integrated scanner option
- Rugged boot option increases durability

#### Seriously rugged to the core, incredibly versatile

- Three 10 in. form factors:
  - XSlate Classic form factor
- XPad Rugged integrated handle
- XBook with KickStrap and keyboard
- Built-in barcode reader option XPad
- Advanced wireless communications and processor (L10ax Windows)
- Rugged specs that outperform in the harshest conditions

#### **Uncompromised rugged mobility**

- True 12 in. 2-in-1 tablet with detachable friction hinge keyboard
- Rugged, yet surprisingly thin and lightweight for a 12 in. tablet
- Advanced wireless communications and processor
- Universal docking solution desktop and vehicle

| Feature              | ET40/ET45<br>8-inch   | ET40/ET45<br>10-inch  | ET51/ET56<br>8-inch   | ET51/ET56<br>10-inch   | ET51 with<br>Integrated Scanner   |
|----------------------|---|---|---|--|---|
|                      |   | Physi   | cal characteristics   |  |   |
| Dimensions*          | 213.9 mm x 134.8 mm x<br>11.4 mm  | 257.9 mm x 162.9 mm x<br>11.4 mm  | 228 mm x 150 mm x 12.7 mm   | 269 mm x 181 mm x 12.7 mm  | 246 mm x 164 mm x 27 mm   |
| Weight*              | 1.07 lbs./485 g   | 1.52 lbs./690 g   | 1.26 lbs./570 g   | 1.69 lbs./765 g  | 1.6 lbs./740 g  |
| Display<br>(Viewing) | 8 in.<br>1280 x 800<br>500 Nits<br>Daylight viewable<br>Corning Gorilla Glass | 10 in.<br>1920 x 1200<br>500 Nits<br>Daylight viewable<br>Corning Gorilla Glass | 8.4 in. Supports up to 2560x1600 720 Nits Daylight viewable Corning Gorilla Glass | 10.1 in. Supports up to 2560x1600 540 Nits Daylight viewable Corning Gorilla Glass | 8.4 in. Supports up to 2560x1600 720 Nits Daylight viewable Corning Gorilla Glass |
| Display<br>(Touch)   | Capacitive<br>multi-touch   | Capacitive<br>multi-touch   | Capacitive<br>multi-touch   | Capacitive<br>multi-touch  | Capacitive<br>multi-touch   |

<sup>\*</sup> ET51/ET56 dimensions and weight can vary slightly depending on OS. Please refer to the model's specification sheet for the exact dimensions and weight.

| Feature               | ET40/ET45<br>8-inch                                | ET40/ET45<br>10-inch                               | ET51/ET56<br>8-inch  | ET51/ET56<br>10-inch   | ET51 with<br>Integrated Scanner  |
|-----------------------|--|--|--|--|--|
|                       |  | Perform  | nance characteristics  |  |  |
| Operating<br>System   | Android 11 (upgradeable through Android 14)        | Android 11 (upgradeable through Android 14)        | Android 11 (upgradeable<br>through Android 14)<br>Windows 10 IoT Enterprise  | Android 11 (upgradeable<br>through Android 14)<br>Windows 10 IoT Enterprise  | Android 11 (upgradeable<br>through Android 14)<br>Windows 10 IoT Enterprise  |
| Processor             | Qualcomm 6375 octa-core<br>2x 2.2 GHz + 6x 1.8 GHz | Qualcomm 6375 octa-core<br>2x 2.2 GHz + 6x 1.8 GHz | Android: Qualcomm Snapdragon 660 octa-core 2.2 GHz Windows: Intel Atom E3940 quad core 1.6 GHz (Turbo Frequency = 1.8 GHz) | Android: Qualcomm Snapdragon 660 octa-core 2.2 GHz Windows: Intel Atom E3940 quad core 1.6 GHz (Turbo Frequency = 1.8 GHz) | Android: Qualcomm Snapdragon 660 octa-core 2.2 GHz Windows: Intel Atom E3940 quad core 1.6 GHz (Turbo Frequency = 1.8 GHz)           |
| Memory and<br>Storage | 4GB or 8GB RAM/<br>64GB or 128GB UFS Flash         | 4GB or 8GB RAM/<br>64GB or 128GB UFS Flash         | Android: 4 GB LPDDR4<br>SDRAM Discrete /32 GB MLC<br>eMMC Flash<br>Windows: 4 GB LPDDR4 RAM;<br>64 GB eMMC Flash           | Android: 4 GB LPDDR4<br>SDRAM Discrete /32 GB MLC<br>eMMC Flash<br>Windows: 4 GB LPDDR4 RAM;<br>64 GB eMMC Flash           | Android: 4 GB LPDDR4<br>SDRAM Discrete /32 GB MLC<br>eMMC Flash<br>Windows: 4 GB or 8GB<br>LPDDR4 RAM; 64 GB or 128<br>GB eMMC Flash |
| Expandable<br>Storage | No   | No   | Micro SDXC (up to 2TB)   | Micro SDXC (up to 2TB)   | Android: Micro SDXC<br>(up to 256GB)<br>Windows: Micro SDXC<br>(up to 200GB)   |

| Feature             | ET40/ET45<br>8-inch   | ET40/ET45<br>10-inch  | ET51/ET56<br>8-inch  | ET51/ET56<br>10-inch   | ET51 with Integrated Scanner   |
|---------------------|---|---|--|--|--|
|                     |   | Wire  | eless Connectivity   |  |  |
| WLAN                | 802.11<br>a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax<br>Dual band 2x2 MU-MIMO | 802.11<br>a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax<br>Dual band 2x2 MU-MIMO | Android: 802.11 a/b/g/n/d/h/i/k/r/ac Windows: 802.11 a/b/g/n/ac/r/k/v Dual band 2x2 MIMO | Android: 802.11 a/b/g/n/d/h/i/k/r/ac Windows: 802.11 a/b/g/n/ac/r/k/v Dual band 2x2 MIMO   | Android: 802.11 a/b/g/n/d/h/i/k/r/ac Windows: 802.11 a/b/g/n/ac/r/k/v Dual band 2x2 MIMO       |
| WWAN                | ET45: 5G (data only)  | ET45: 5G (data only)  | ET56: Global LTE (data only) North America LTE (data only): AT&T and Verizon             | ET56 Windows only: Global LTE (data only); North America LTE (data only): AT&T and Verizon | No   |
| CBRS<br>(U.S. only) | ET45: Yes   | ET45: Yes   | No   | No   | No   |
| Bluetooth           | BT 5.1 (Bluetooth LE)   | BT 5.1 (Bluetooth LE)   | Android: V5.0 / 2.1+EDR<br>(Bluetooth LE)<br>Windows: V4.2 (Bluetooth LE)                | Android: V5.0 / 2.1+EDR<br>(Bluetooth LE)<br>Windows: V4.2 (Bluetooth LE)                  | Android: v5.0 / 2.1+EDR Class 2<br>(Bluetooth LE)<br>Windows: Bluetooth v4.2<br>(Bluetooth LE) |
| GPS                 | ET45: A-GPS, Galileo, GNSS,<br>BeiDou                             | ET45: A-GPS, Galileo, GNSS,<br>BeiDou                             | ET56: GPS, Galileo, Glonass,<br>A-GPS  | ET56: GPS, Galileo, Glonass,<br>A-GPS  | No   |

| Feature             | ET40/ET45<br>8-inch  | ET40/ET45<br>10-inch   | ET51/ET56<br>8-inch   | ET51/ET56<br>10-inch  | ET51 with<br>Integrated Scanner   |
|---------------------|--|--|---|---|---|
|                     |  | Data   | Capture Options   |   |   |
| Barcode<br>Scanning | Integrated SE4100 1D/2D SE4710 1D/2D SE55 1D/2D Advanced Range Scan Engine with IntelliFocus™ technology (Premium) | Integrated SE4100 1D/2D SE4710 1D/2D SE55 1D/2D Advanced Range Scan Engine with IntelliFocus™ technology (Premium) | SE4710 1D/2D<br>or SE4750 1D/2D available<br>via expansion back | SE4710 1D/2D<br>or SE4750 1D/2D available<br>via expansion back | Integrated<br>Android: SE4710 1D/2D<br>Windows: SE4710 1D/2D or<br>SE4750 1D/2D |
| Rear Camera         | 13 MP  | 13 MP  | Android: 13 MP<br>Windows: 8 MP                                 | Android: 13 MP<br>Windows: 8 MP                                 | Android: 13 MP<br>Windows: 8 MP   |
| Front Camera        | 5 MP   | 5 MP   | 5 MP Windows: 2 MP  |   | Android: 5 MP<br>Windows: 2 MP  |
|                     |  |  | Power   |   |   |
| Battery             | 23.61 Whr<br>Optional hot swap: 25.84 Whr  | 29.41 Whr<br>Optional hot swap: 25.84 Whr  | 25 Whr<br>Optional hot swap: 24.4 Whr                           | 38 Whr<br>Optional hot swap: 24.4 Whr                           | 24.4 Whr<br>Optional hot swap: 24.4 Whr   |

| Feature            | ET40/ET45<br>8-inch   | ET40/ET45<br>10-inch  | ET51/ET56<br>8-inch   | ET51/ET56<br>10-inch  | ET51 with<br>Integrated Scanner  |
|--------------------|---|---|---|---|--|
|                    |   | Rugg  | ed Specifications   |   |  |
| Sealing            | IP65  | IP65  | IP65  | IP65  | IP65   |
| Drop Spec          | Standard: 4 ft./1.2 m to concrete With optional rugged boot: 5.1 ft./1.5 m to concrete MIL-STD-810H | Standard: 4 ft./1.2 m to concrete With optional rugged boot: 5.1 ft./1.5 m to concrete MIL-STD-810H | Standard: 3.3 ft./1 m to concrete  With optional rugged boot: 5.9 ft./1.8 m to concrete  MIL-STD-810G | Standard: 3.3 ft./1 m to concrete  With optional rugged boot: 5.9 ft./1.8 m to concrete  MIL-STD-810G | Android: 4 ft./1.2 m to concrete or 5 ft./1.5 m to plywood Windows: 3.28 ft./1 m to concrete With optional rugged boot: 5.9 ft./1.8 m to concrete MIL-STD-810G |
| Operating<br>Temp. | -4° F to 122° F<br>-20° C to 50° C  | -4° F to 122° F<br>-20° C to 50° C  | -4° F to 122° F<br>-20° C to 50° C  | -4° F to 122° F<br>-20° C to 50° C  | -4° F to 122° F<br>-20° C to 50° C   |

# **Customer Engagement Questions**

## Customer Engagement Questions: 1 of 3

- Have you deployed or are you considering equipping your workers with line of business tablets. If so, are you concerned about:
  - Device durability out of the box?
  - Product lifecycle and support?
  - Data capture performance and the added cost/complexity of purchasing a third-party scanning sled?
  - Available accessories and the added complexity of purchasing third-party accessories?
- Would you prefer a purpose-built enterprise tablet that fits your budget?
- How often do workers need to scan barcodes?
  - Is scanning performance important such as scanning speed and the ability to accurately capture damaged barcodes?
  - Do workers ever have trouble capturing a barcode with their tablet's camera and does this impact productivity or data accuracy?
  - Do you need to manage a separate scanning sled with your current tablet solution?
  - Could you improve productivity with the versatility to quickly capture barcodes in hand or across the room? (If the answer is yes, position the SE55 scan engine)

ZEBRA CONFIDENTIAL INTERNAL USE ONLY

## Customer Engagement Questions: 2 of 3

- Are you currently using hard-wired workstations for employee training, assisted selling or other use cases?
   Would you like your tablet to double as an on-demand workstation? (If the answer is yes, position the ET40/ET45 with Workstation Cradle\*)
- Would you like to create an on-demand hybrid POS complete with a large display, scanner, receipt printer, payment terminal, keyboard and mouse? (If the answer is yes, position the ET40/ET45 with Presentation Stand and Point of Sale hub\*)
- Have you deployed or are you planning to deploy Wi-Fi 6 in the future? Would you like a tablet that's ready
  to take advantage of the faster speeds, reduced latency and greater bandwidth of Wi-Fi 6?
- Would you like to give workers access to the fastest cellular speeds?
- Is battery life a factor? Would having a hot-swappable battery be valuable, allowing your tablets to perform over multiple shifts on a single charge? (If the answer is yes, position the secondary battery with expansion back accessory)
- Would working with the leader in Android for the enterprise allow you to more confidently deploy Android devices in your business?

<sup>\*</sup> Workstation Connect, Workstation cradle, POS Hub and Presentation stand available 2H 2022

## Customer Engagement Questions: 3 of 3

#### Questions to uncover the need for the Mobility DNA Enterprise License

- Do you need enterprise-quality VoWiFi solutions, such as: push-to-talk communications to keep your
  workforce connected over Wi-Fi or cellular connections? Do you want your devices to also function as fullyfeatured PBX handsets to reduce the number of devices for you and your workers to manage?\*
- Would you like a tool that can help you rapidly identify, analyze and troubleshoot issues on your Wi-Fi
  network, before workforce productivity is impacted?
- Would you like to boost productivity with the ability to capture up to 100 barcodes, even on multiple labels,
   with a single scan? Or to detect signature presence and ensure a form was signed?
- Would you like a simple utility that would make it easier for workers to use and manage their Bluetooth accessories, and for IT to centrally control Bluetooth capabilities?
- Would you like to give your workers a soft keypad that is best suited to simplify the type of data your workers need to enter?

<sup>\*</sup> Workforce Connect available Q4 2022.

# 8-inch Global Competitors

# Fight Sheets

## Fight Sheet

# Samsung Tab Active Pro 3 10-inch

#### Key weaknesses

- Shorter device and support lifecycle customers may need to juggle a more complex mixed model deployment
- Inferior software ecosystem Samsung's software ecosystem is significantly limited compared with Mobility DNA
- No 5G or CBRS support
- Inferior Wi-Fi no MU-MIMO, consumer Wi-Fi radio
- No integrated scan engine customers must either purchase a third-party sled (adds cost and bulk, lowers rugged specs) or third-party software (add costs, inferior performance)
- Lacks 8GB RAM option (4GB max) less future proof
- Less rugged drop spec out of the box: 4 ft./1.2 m drops to tile over concrete
- Lower capacity battery and no hot swap support
- Voice solutions require third-party application (needs testing and validation)
- Limited accessory ecosystem most accessories are from third party vendors

#### **Key strengths**

- Lighter and thinner (although barcode scanning is not included out of the box; a scanning sled will add weight and bulk)
- Higher resolution display
- IP68 sealing
- Expansion card slot



## Fight Sheet

# Apple iPad Mini

## Key weaknesses

- Shorter device and support lifecycle customers may need to juggle a more complex mixed model deployment
- No software ecosystem Apple does not offer any kind of software ecosystem like Mobility DNA
- Inferior Wi-Fi no MU-MIMO, consumer Wi-Fi radio
- No CBRS support
- No integrated scan engine customers must either purchase a third-party sled (adds cost and bulk, lowers rugged specs) or third-party software (add costs, inferior performance)
- No rugged specs out of the box customers must buy a third-party rugged case (adds cost and bulk)
- Battery is not removable devices must be taken out of service to charge
- Lacks 8GB RAM option (4GB only) less future proof
- No programmable keys for easy access to key features/applications
- Voice solutions require third-party application (needs testing and validation)
- Limited accessory ecosystem most accessories are from third party vendors

#### **Key strengths**

- Lighter and thinner (although does not include barcode scanning or ruggedness out of the box; scanning sled and rugged case will add weight and bulk)
- Higher resolution display




## Fight Sheet

# Honeywell ScanPal EDA71

## Key weaknesses

- Older Android version (10) and inferior roadmap support
- No software ecosystem not compatible with Honeywell's Mobility Edge
- 84% thicker and 13% heavier
- Inferior wireless no 5G, no Wi-Fi 6, no MU-MIMO, no CBRS, older BT standard
- Lacks 8GB RAM option (4GB only) less future proof
- FlexRange imager has less range than Zebra's SE55; Honeywell's red laser aimer is harder to see
- No front-facing camera for video calls
- No hot swap support
- No programmable keys for easy access to key features/applications
- Voice solutions require third-party application (needs testing and validation)
- No Point of Sale solutions



None identified



# Feature Comparisons

| Feature | Zebra<br>ET40/ET45 8-inch | Samsung<br>Galaxy Tab Active 3 | Apple<br>iPad Mini | Honeywell<br>ScanPal EDA71 | Why it matters |
|---------|---------------------------|--------------------------------|--------------------|----------------------------|----------------|
|         | 10:00<br>V 2-4            |                                | Milli              |                            |                |

| Physical Characteristics |  |  |   |                       |   |  |
|--------------------------|--|--|---|-----------------------|---|--|
| Thickness                | 0.45 in./11.4 mm                       | 0.39 in./9.9 mm                              | 0.25 in./6.3 mm                             | 0.83 in./21 mm        | While the ET40/ET45 is not thinner or lighter than consumer tablets, it is lightweight, easy to carry and offers all the sleekness of a consumer device.  |  |
| Weight                   | 1.07 lbs/485 g                         | 15.09 oz./427.8 g                            | 10.48 oz./297 g                             | 19.40 oz./550 g       | It's important to note that Samsung and Apple tablets do not include an integrated scan engine and Apple offers no ruggedness without a protective case – adding a third-party scanning sled or case will significantly increase the overall weight and bulk of the solution. An Apple/Samsung tablet may be sleek out of the box, but becomes bulky once it's made enterprise ready. |  |
| Display                  | 8 in. WXGA<br>(1280 x 800)<br>500 NITs | 8 in. WQXGA<br>(1920 x 1200)<br>480-700 NITs | 8.3 in. Retina<br>(2266 x 1488)<br>500 NITs | 7 in.<br>(1280 x 720) | While not a competitive advantage compared with consumer devices, the ET40/ET45's display is bright and crisp enough for easy viewing indoors and outside.  |  |
| Programmable buttons     | Three                                  | One  | No  | No                    | Three programmable buttons provide instant access to commonly used applications or device features – making workflows more efficient.   |  |

| Feature          | Zebra<br>ET40/ET45 8-inch  | Samsung<br>Galaxy Tab Active 3   | Apple<br>iPad Mini        | Honeywell<br>ScanPal EDA71                         | Why it matters   |
|------------------|--|--|---------------------------|--|--|
|                  | 10:00<br>10:00   | No. of the second secon | Milli                     | Interpretal Ford Parts 1                           |  |
| Wireless Communi | cation   |  |                           |  |  |
| Wi-Fi            | WiFi-6 (802.11 ax)<br>802.11<br>a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax<br>2x2 MU-MIMO;<br>Wi-Fi™ certified | WiFi-6 (802.11 ax)<br>802.11a/b/g/n/ac/ax<br>MIMO  | WiFi-6 (802.11ax)<br>MIMO | WiFi-5 (802.11ac)<br>802.11 a/b/g/n/ac<br>2x2 MIMO | <ul> <li>The ET40/ET45, iPad Mini and Galaxy Tab Active 3 all support Wi-Fi 6. However, the ET40/ET45 offers several key advantages:</li> <li>Only device to support 2x2 Mu-MIMO, which boosts Wi-Fi network capacity, speed and range</li> <li>The ET40/ET45 supports more Wi-Fi protocols such as 802.11mc for locationing applications</li> <li>Zebra offers superior Wi-Fi radio firmware that takes the quality and reliability of Wi-Fi connections to a new level (requires optional Mobility DNA Enterprise); with Samsung and Apple you get a consumer Wi-Fi radio</li> </ul> |
| Cellular         | 5G (ET45; data only)   | 4G LTE   | 5G                        | 4G LTE   | Only ET45 and iPad Mini support 5G — giving workers access to faster cellular speeds and providing a more future-proof platform.   |

| Feature | Zebra<br>ET40/ET45 8-inch | Samsung<br>Galaxy Tab Active 3 | Apple<br>iPad Mini | Honeywell<br>ScanPal EDA71   | Why it matters |
|---------|---------------------------|--------------------------------|--------------------|--|----------------|
|         | 10:00<br>Final P          |                                | Milli              | Banagar Conference Con |                |

| Wireless Communication (continued) |  |                                 |   |                                 |  |  |
|------------------------------------|--|---------------------------------|---|---------------------------------|--|--|
| CBRS                               | Yes<br>(ET45)                          | No                              | No  | No                              | Relevant for US only: The ET45 can connect to private LTE CBRS networks in the U.S, enabling cost-effective wireless connectivity in large indoor and outdoor facilities.                |  |
| Bluetooth                          | BT 5.1                                 | BT 5.0                          | BT 5.0<br>Secondary Bluetooth Low<br>Energy (BLE) for beaconing | BT 4.2                          | The ET40/ET45 supports a newer Bluetooth standard than Samsung and Apple. Note that ScanPal EDA71 supports a significantly older standard which results in inferior BT speeds and range. |  |
| GPS                                | A-GPS, Galileo, GNSS,<br>BeiDou (ET45) | A-GPS, Galileo, GNSS,<br>BeiDou | A-GPS, GNSS<br>(WAN SKUs only)                                  | A-GPS, Galileo, GNSS,<br>BeiDou | The ET45 offers comprehensive GPS support for global deployments.  |  |

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

Zebra Samsung Honeywell **Apple Feature** Why it matters iPad Mini ScanPal EDA71 ET40/ET45 8-inch **Galaxy Tab Active 3 Data Capture** These line of business tablets do not offer an integrated scan engine. Customers either need to purchase a third-party scanning sled (adds cost, lowers rugged specs and is more difficult to Integrated manage) or rely on the camera for barcode Choice of: scanning (requires software license, inferior SE4100 1D/2D Integrated performance, particularly with challenging No integrated enterprise No integrated enterprise SE4710 1D/2D **Barcode Scanning** barcodes). Choice of: N3601 or scan engine option scan engine option SE55 1D/2D Advanced N6703 Flex Range Range Scan Engine with Zebra's SE55 is superior to Honeywell's FlexRange IntelliFocus™ technology imager in terms of expected working range and (Premium) performance trigger to beep time. Zebra's green laser aimer is 7x more visible than Honeywell's red aiming, making it easier to scan from distances and in challenging lighting conditions.

| Feature           | Zebra<br>ET40/ET45 8-inch | Samsung<br>Galaxy Tab Active 3 | Apple<br>iPad Mini | Honeywell<br>ScanPal EDA71 | Why it matters  |
|-------------------|---------------------------|--------------------------------|--------------------|----------------------------|---|
|                   | 10:00<br>10:00            |                                | Milli              | Bacques 1                  |   |
| Data Capture (con | tinued)                   |                                |                    |                            |   |
| Rear Camera       | 13MP                      | 13MP                           | 12MP               | 13MP                       | A 13MP rear camera can capture highly detailed photos and videos for proof of service, proof of condition, proof of compliance and more.  |
| Front Camera      | 5MP                       | 5MP                            | 12MP               | No                         | A 5 MP front camera offers more than enough resolution and detail for video calling. There's no known enterprise use case that requires more than 5MP resolution for the front-facing camera. |

| Feature | Zebra<br>ET40/ET45 8-inch | Samsung<br>Galaxy Tab Active 3 | Apple<br>iPad Mini | Honeywell<br>ScanPal EDA71 | Why it matters |
|---------|---------------------------|--------------------------------|--------------------|----------------------------|----------------|
|         | 10:00<br>8:325            |                                | Milli              | Ampres 1-11 corps 1        |                |

| Performance Characteristics |  |  |                      |   |  |  |
|-----------------------------|--|--|----------------------|---|--|--|
| Operating System            | Android 11 upgradeable<br>through Android 14 | Android 10                                       | iPadOS 15            | Android 10, published<br>support through Android 10<br>only | Zebra's superior Android roadmap extends device lifecycle.   |  |
| Processor                   | Octa-core QC 6375<br>2x 2.2 GHz + 6x 1.8 GHz | Octa-Core Exynos 9810<br>4x 2.7 GHz + 4x 1.7 GHz | Quad Core A15 Bionic | Octa-Core QC SDM450<br>1.8 GHz                              | The ET40/ET45 provides enough processing power for demanding enterprise applications.  |  |
| Memory                      | 4GB or 8GB                                   | 4GB  | 4GB                  | 2GB or 4GB  | Only the ET40/ET45 offers an 8GB option; with higher RAM it's able to support future upgrades and memory intensive applications with ease. |  |
| Storage                     | 64GB or 128GB UFS Flash                      | 64GB or 128GB                                    | 64GB or 256GB        | 32GB or 64GB  | UFS (Universal Flash Storage) improves performance and battery consumption. UFS speeds up any task requiring memory access.                |  |
| Expandable<br>Storage       | No   | microSDXC up to 1 TB                             | No                   | MicroSD up to 128GB   | The ET40/ET45 does not offer a user accessible expansion slot.   |  |

| Feature                           | Zebra<br>ET40/ET45 8-inch   | Samsung<br>Galaxy Tab Active 3   | Apple<br>iPad Mini                                | Honeywell<br>ScanPal EDA71            | Why it matters  |
|-----------------------------------|---|--|---|---------------------------------------|---|
|                                   | 10:00<br>10:00  |  | Milli   | Recepted 1                            |   |
| Environmental                     |   |  |   |                                       |   |
| Drop Specification                | Standard: 4 ft./1.2 m to concrete With optional rugged boot: 5.1 ft./1.5 m to concrete MIL-STD-810H | Standard: 4 ft./1.2 m to tile<br>over concrete<br>With optional exoskeleton:<br>5.1 ft./1.5 m to tile over<br>concrete<br>MIL-STD-810H | No drop spec without third-party rugged case      | 4 ft./1.2 m to concrete at room temp. | The ET40/ET45 passes a more stringent drop test than the Galaxy Tab Active 3: drops to concrete vs. tile over concrete. iPad Mini has no rugged drop spec out of the box.   |
| Sealing                           | IP65  | IP68   | No sealing rating without third-party rugged case | IP64                                  | With IP65 sealing, the ET40/ET45 is fully dust tight and protected against jetting water (low pressure wash downs) and rain. Samsung's IP68 sealing protects against submersion in water, which won't be necessary in the majority of use cases and environments. iPad Mini has no sealing rating out of the box. |
| Operating<br>Temperature<br>Range | -4° F to 122° F<br>-20° C to 50° C  | Not specified  | 32° F to 95° F<br>0° C to 35° C                   | 14° F to 122° F<br>-10° C to 50° C    | The ET40/ET45 supports the widest published working temperature range; it can be used (or left in a vehicle) in both extreme heat and extreme cold.   |

| Feature | Zebra<br>ET40/ET45 8-inch | Samsung<br>Galaxy Tab Active 3 | Apple<br>iPad Mini | Honeywell<br>ScanPal EDA71   | Why it matters |
|---------|---------------------------|--------------------------------|--------------------|--|----------------|
|         | 10:00<br>10:00            |                                | Milli              | Total and the second se |                |
| Power   |                           |                                |                    |  |                |

| Power            |  |                       |                           |   |  |
|------------------|--|-----------------------|---------------------------|---|--|
| Battery Capacity | 6100 mAh<br>Removable  | 5050 mAh<br>Removable | 5124 mAh<br>NOT removable | Standard: 4000 mAh<br>Extended: 8850 mAh<br>Removable | The ET40/ET45 offers the highest capacity standard battery in this group. While it doesn't have an extended battery option, its hot-swappable secondary battery provides around-the-clock power. Since the iPad Mini's battery is not removable, devices must be taken out of service to charge when the battery is low or dead. |
| Hot Swap         | Yes Optional hot swappable 3400 mAh secondary battery, for use with expansion back accessory | No                    | No                        | No  | Only the ET40/ET45 offers hot swap capability – ideal for supporting multiple shifts with one device.  |
| Fast Charge      | Yes  | Yes                   | Yes                       | No  | Fast charging support protects productivity as devices are ready to go in less time.   |
| Battery Metrics  | Yes<br>PowerPrecision  | No                    | No                        | No  | Zebra offers the most comprehensive collection of real-time battery metrics for better battery management.   |

| Feature           | Zebra<br>ET40/ET45 8-inch  | Samsung<br>Galaxy Tab Active 3   | Apple<br>iPad Mini               | Honeywell<br>ScanPal EDA71  | Why it matters   |
|-------------------|--|----------------------------------|----------------------------------|---|--|
|                   | 10:00<br>10:00   |                                  | Milli                            | Browness County |  |
| Voice Solutions   |  |                                  |                                  |   |  |
| PTT over WLAN     | Yes, supported with optional PTT Express*; Ready-to-use and tested   | Requires third-party application | Requires third-party application | No  | The ET40/ET45 offers Zebra's Push-to-Talk PTT Express for instant PTT walkie-talkie style calls inside the four walls. Not only does it work right out of the box, since it's a Zebra application, Zebra can provide superior technical support. |
| PTT over Cellular | Yes, supported with optional PTT Pro*; Ready-to-use and tested   | Requires third-party application | Requires third-party application | No  | The ET40/ET45 offers optional Workforce Connect PTT Pro subscription service for walkie talkie-style communications over cellular and Wi-Fi networks.  |
| PBX handset       | Yes, supported with optional Workforce Connect Voice*; fully customizable interface makes it easy for workers to use complex advanced telephony features | No                               | No                               | No  | Without a comparable solution to Workforce<br>Connect Voice, competitive devices require<br>customers to purchase and maintain separate PBX<br>handsets for PBX communications.  |

<sup>\*</sup> Workforce Connect available Q4 2022.

### Competitive Comparison: Global

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

Zebra Samsung Honeywell **Apple Feature** Why it matters iPad Mini **ScanPal EDA71** ET40/ET45 8-inch **Galaxy Tab Active 3** Software No other vendor offers such a comprehensive ecosystem of software to support rugged Android devices in the enterprise. Zebra has invested more Limited, and many Mobility DNA Professional than \$300 million in Mobility DNA and continues to Software software tools are Not compatible with invest, refining tools through multiple OS versions No Mobility DNA Enterprise **Ecosystem** proprietary unlike Zebra's and thousands of deployments. Our time-tested Honeywell's Mobility Edge (optional) standard-based approach expertise offers customers unique value with built-in utilities, applications and end-to-end enterprise solutions.

### Competitive Comparison: Global

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

vendors

Available through third-party

vendors

Book covers

S Pen

USB-C headphone jack

adapter

| Feature              | Zebra<br>ET40/ET45 8-inch  | Samsung<br>Galaxy Tab Active 3  | Apple<br>iPad Mini  | Honeywell<br>ScanPal EDA71   | Why it matters   |
|----------------------|--|---|---|--|--|
|                      | 10:00<br>1:00  |   | Milli   | The control of the co |  |
| Accessories          |  |   |   |  |  |
| Charging accessories | Multi-slot charge cradles<br>Multi-slot battery chargers<br>Desktop charge cradle<br>Wall chargers | USB-C charger Other charging accessories may be available through third-party vendors | USB-C charger Other charging accessories may be available through third-party vendors | Multi-slot charge cradles<br>Multi-slot battery chargers<br>Desktop charge cradle<br>Wall chargers   | The ET40/ET45 offers a comprehensive range of charging accessories, from low cost single slot charge only or communication cradles to multi-slot charge and communication cradles to simplify the backroom. Unlike line of business tablets, the ET40/ET45's charging accessories are developed, sold and supported by Zebra |
| Rugged               | Rugged boot increases drop   | Available through third-party   | Available through third-party   | No   | Unlike line of business tablets, the ET40/ET45's   |

accessories

POS accessories

Workstation cradle Stylus **VESA Mount adapter** 

spec to 5 ft./1.5 m

Point of Sale hub\*

Presentation stand\*

Available through third-party vendors

Available through third-party vendors

> Folio covers Rotating hand strap Apple Pen

No

No

Hand straps

Shoulder strap

RAM mount

rugged boot is developed, sold and supported by

Only Zebra offers a complete, single vendor

Zebra offers a comprehensive enterprise-class

accessory ecosystem - all developed, sold and

solution for Point of Sale applications.

Zebra.

supported by Zebra.

Hand straps Other accessories

<sup>\*</sup> POS Hub and Presentation stand available 2H 2022

## 8-inch Regional Competitors

### NA/LA: Sonim R80

### Key weaknesses

- Older Android version (10); doesn't publish roadmap
- No software ecosystem Sonim does not offer any kind of software ecosystem comparable to Mobility DNA
- 31% thicker and 39% heavier
- Inferior wireless no 5G, no Wi-Fi 6, no MU-MIMO, no CBRS, older BT standard
- Lacks 8GB RAM option (4GB max) less future proof
- No advanced range scanning option
- Does not publish specifics of drop testing
- No hot swap support
- Voice solutions require third-party application (needs testing and validation)
- No high density charging solutions; no Point of Sale solutions




Higher resolution display



## **EMEA: Crosscall Core T4**

### Key weaknesses

- Older Android version (9); doesn't publish roadmap
- No software ecosystem Crosscall does not offer any kind of software ecosystem comparable to Mobility DNA
- 23% thicker and 26% heavier
- Inferior wireless no 5G, no Wi-Fi 6, no MU-MIMO, no CBRS, older BT standard
- No integrated scan engine customers must either purchase a third-party sled (adds cost and bulk, lowers rugged specs) or third-party software (add costs, inferior performance)
- Lacks 8GB RAM option (3GB max) less future proof
- Does not publish specifics of drop testing
- Battery is not removable, but you can add a power bank to the back for additional power
- Voice solutions require third-party application (needs testing and validation)
- No high density charging solutions; no Point of Sale solutions



5 ft./1.5 m drop spec out of the box; IP68 sealing



## APAC/LA: Chainway P80 Industrial

### Key weaknesses

- Older Android version (9); doesn't publish roadmap
- No software ecosystem Chainway does not offer any kind of software ecosystem comparable to Mobility DNA
- 31% thicker and 44% heavier
- Inferior wireless no 5G, no Wi-Fi 6, no MU-MIMO, no CBRS, older BT standard
- Lacks 8GB RAM option (4GB max) less future proof
- Battery is not removable devices must be taken out of service to charge
- Voice solutions require third-party application (needs testing and validation)
- · No high density charging solutions; no Point of Sale solutions



**Key strengths** 

• 5 ft./1.5 m drop spec out of the box

## Feature Comparisons

|         |                           | NA/LA  | EMEA              | APAC/LA                 |                |
|---------|---------------------------|--|-------------------|-------------------------|----------------|
| Feature | Zebra<br>ET40/ET45 8-inch | Sonim R80  | Crosscall Core T4 | Chainway P80 Industrial | Why it matters |
|         | 10:00<br>10:00            | Control of the contro |                   |                         |                |

| Physical Characteristics |                                      |                      |                                      |   |  |  |  |  |
|--------------------------|--------------------------------------|----------------------|--------------------------------------|---|--|--|--|--|
| Thickness                | 0.45 in./11.4 mm                     | 0.59 in./15 mm       | 0.55 in./14 mm                       | 0.59 in./15 mm  | The ET40/ET45 is thinner and lighter than these regional competitors — it's easy to carry, comfortable to hold and offers the sleek styling of consumer devices. |  |  |  |
| Weight                   | 1.07 lbs/485 g                       | 1.48 lbs/673 g       | 1.34 lbs/610 g                       | 1.54 lbs/700 g  |  |  |  |  |
| Display                  | 8 in. WXGA<br>1280 x 800<br>500 NITs | 8 in.<br>1920 x 1200 | 8 in. WXGA<br>1280 x 800<br>500 NITs | 8 in.<br>Standard:1280 x 800<br>Optional: 1920 x 1200 | While not a competitive advantage, the ET40/ET45's display is bright and crisp enough for easy viewing indoors and outside.                                      |  |  |  |
| Programmable buttons     | Three                                | Two                  | Two                                  | No  | Three programmable buttons provide instant access to commonly used applications or device features – making workflows more efficient.                            |  |  |  |

|         |                           | NA/LA  | EMEA              | APAC/LA                 |                |
|---------|---------------------------|--|-------------------|-------------------------|----------------|
| Feature | Zebra<br>ET40/ET45 8-inch | Sonim R80  | Crosscall Core T4 | Chainway P80 Industrial | Why it matters |
|         | 10:00<br>1:34             | The state of the s | 1007              |                         |                |

| Wireless Communications |  |   |  |  |   |  |  |  |
|-------------------------|--|---|--|--|---|--|--|--|
| Wi-Fi                   | WiFi-6 (802.11 ax)<br>802.11<br>a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax<br>2x2 MU-MIMO;<br>Wi-Fi™ certified | WiFi-5 (802.11ac)<br>802.11a/b/g/n/ac/e/i/r | WiFi-5 (802.11ac)<br>802.11 a/b/g/n/ac | WiFi-5 (802.11ac)<br>802.11 a/b/g/n/ac/d/e/h/i/k/r/v | <ul> <li>The ET40/ET45 offers superior Wi-Fi connectivity:</li> <li>Only device in this group to support Wi-Fi 6, which offers higher throughput and lower latency</li> <li>Only device to support 2x2 Mu-MIMO, which boosts Wi-Fi network capacity, speed and range</li> <li>Supports more Wi-Fi protocols such as 802.11mc for locationing applications</li> <li>Zebra offers superior Wi-Fi radio firmware that takes the quality and reliability of Wi-Fi connections to a new level (requires optional Mobility DNA Enterprise)</li> </ul> |  |  |  |
| Cellular                | 5G (ET45, data only)   | 4G LTE                                      | 4G LTE                                 | 4G LTE   | Only the ET45 supports 5G — giving workers access to faster cellular speeds and providing a more future-proof platform.   |  |  |  |

|         |                           | NA/LA  | EMEA              | APAC/LA                 |                |
|---------|---------------------------|--|-------------------|-------------------------|----------------|
| Feature | Zebra<br>ET40/ET45 8-inch | Sonim R80  | Crosscall Core T4 | Chainway P80 Industrial | Why it matters |
|         | 10:00<br>10:00            | The state of the s |                   |                         |                |

| Wireless Communications (continued) |  |                                 |                                 |                                    |   |  |  |
|-------------------------------------|--|---------------------------------|---------------------------------|------------------------------------|---|--|--|
| CBRS                                | Yes<br>(ET45)                          | No                              | No                              | No                                 | Relevant for US only: The ET45 can connect to private LTE CBRS networks in the U.S, enabling cost-effective wireless connectivity in large indoor and outdoor facilities. |  |  |
| Bluetooth                           | BT 5.1                                 | BT 4.2 BLE                      | BT 4.2                          | BT 4.2                             | These regional competitors support a significantly older standard which results in inferior BT speeds and range.  |  |  |
| GPS                                 | A-GPS, Galileo, GNSS,<br>BeiDou (ET45) | A-GPS, Galileo,<br>GNSS, BeiDou | A-GPS, Galileo,<br>GNSS, BeiDou | A-GPS, Galileo,<br>Glonass, BeiDou | The ET45 offers comprehensive GPS support for global deployments.   |  |  |

|         |                           | NA/LA           | EMEA              | APAC/LA                 |                |
|---------|---------------------------|-----------------|-------------------|-------------------------|----------------|
| Feature | Zebra<br>ET40/ET45 8-inch | Sonim R80       | Crosscall Core T4 | Chainway P80 Industrial | Why it matters |
|         | 10:00<br>10:00            | through June 11 | 1007              |                         |                |

| Data Capture     |   |                  |      |   |   |
|------------------|---|------------------|------|---|---|
| Barcode Scanning | Integrated Choice of: SE4100 1D/2D SE4710 1D/2D SE55 1D/2D Advanced Range Scan Engine with IntelliFocus™ technology (Premium) | Integrated 1D/2D | No   | Integrated Choice of: Zebra SE4710 1D/2D SE4850 1D/2D Extended Range Scan Engine with IntelliFocus technology | While Chainway OEMs Zebra scan engines, the ET40/ET45 supports the newer SE55 Advanced Range engine for premium performance.  Crosscall does not offer an integrated scan engine. Customers either need to purchase a third-party scanning sled (adds cost and bulk, lowers rugged specs and is more difficult to manage) or rely on the camera for barcode scanning (requires software license, inferior performance). |
| Rear Camera      | 13MP  | 13MP             | 13MP | 13MP  | A 13MP rear camera can capture highly detailed photos and videos for proof of service, proof of condition, proof of compliance and more.  |
| Front Camera     | 5MP   | 5MP              | 5MP  | 5MP   | A 5 MP front camera offers more than enough resolution and detail for video calling.  |

|         |                           | NA/LA  | EMEA              | APAC/LA                 |                |
|---------|---------------------------|--|-------------------|-------------------------|----------------|
| Feature | Zebra<br>ET40/ET45 8-inch | Sonim R80  | Crosscall Core T4 | Chainway P80 Industrial | Why it matters |
|         | 10:00<br>hash             | Compagnition of the compag | 1007              |                         |                |

| Performance Characteristics |  |                                     |                               |                      |  |  |  |
|-----------------------------|--|-------------------------------------|-------------------------------|----------------------|--|--|--|
| Operating System            | Android 11 upgradeable through Android 14    | Android 10                          | Android 9                     | Android 9            | Zebra's superior Android roadmap extends device lifecycle.   |  |  |
| Processor                   | Octa-core QC 6375<br>2x 2.2 GHz + 6x 1.8 GHz | Octa-core QC MSM8953 Pro<br>2.2 GHz | Octa-core QC SD450<br>1.8 GHZ | Octa-core QC 1.8 GHz | The ET40/ET45 provides enough processing power for demanding enterprise applications.  |  |  |
| Memory                      | 4GB or 8GB                                   | 4GB                                 | 3GB                           | 3GB or 4GB           | Only the ET40/ET45 offers an 8GB option; with higher RAM it's able to support future upgrades and memory intensive applications with ease. |  |  |
| Storage                     | 64GB or 128GB UFS Flash                      | 64GB                                | 32GB                          | 32GB or 64GB         | UFS (Universal Flash Storage) which improves performance and battery consumption. UFS speeds up any task requiring memory access.          |  |  |
| Expandable<br>Storage       | No   | MicroSD up to 256GB                 | MicroSD up to 512GB           | MicroSD up to 128GB  | The ET40/ET45 does not offer a user accessible expansion slot.   |  |  |

|         |                           | NA/LA          | EMEA              | APAC/LA                 |                |
|---------|---------------------------|----------------|-------------------|-------------------------|----------------|
| Feature | Zebra<br>ET40/ET45 8-inch | Sonim R80      | Crosscall Core T4 | Chainway P80 Industrial | Why it matters |
|         | 10:00<br>sand             | through the 11 | 1000              |                         |                |

| Environmental   |   |                                    |                                     |  |   |
|-----------------|---|------------------------------------|-------------------------------------|--|---|
| Drop Spec       | Standard: 4 ft./1.2 m<br>to concrete<br>With optional rugged boot:<br>5.1 ft./1.5 m to concrete<br>MIL-STD-810H | MIL-STD-810G                       | 5 ft./1.5 m<br>MIL-STD-810G         | 5 ft./1.5 m to concrete across the operating temp. range | The ET40/ET45 does not have the highest drop spec of this group out of the box, as it balances rugged design with ergonomics. If a drop specification is important to your customer, position the optional rugged boot which adds a 5 ft./1.5 m drop spec.          |
| Sealing         | IP65  | IP67                               | IP68                                | IP65   | With IP65 sealing, the ET40/ET45 is fully dust tight and protected against jetting water (low pressure wash downs) and rain. Crosscall's IP68 sealing protects against submersion in water, which won't be necessary in the majority of use cases and environments. |
| Operating Temp. | -4° F to 122° F<br>-20° C to 50° C  | -4° F to 131° F<br>-20° C to 55° C | -13° F to 122° F<br>-25° C to 50° C | -4° F to 122° F<br>-20° C to 50° C                       | The ET40/ET45 can be used (or left in a vehicle) in both extreme heat and extreme cold.   |

|         |                           | NA/LA  | EMEA              | APAC/LA                 |                |
|---------|---------------------------|--|-------------------|-------------------------|----------------|
| Feature | Zebra<br>ET40/ET45 8-inch | Sonim R80  | Crosscall Core T4 | Chainway P80 Industrial | Why it matters |
|         | 10:00<br>10:00            | The state of the s |                   |                         |                |

| Power            |  |                       |  |                           |  |
|------------------|--|-----------------------|--|---------------------------|--|
| Battery Capacity | 6100 mAh<br>Removable  | 8200 mAh<br>Removable | 7000 mAh<br>NOT removable  | 8000 mAh<br>NOT removable | While the ET40/ET45 does not offer the highest capacity battery, you can add the optional hotswappable secondary battery. This gives users the best of both worlds: low device weight out of the box and extended power when needed. |
| Hot Swap         | Yes Optional hot swappable 3400 mAh secondary battery, for use with expansion back accessory | No                    | No hot swap, but you can<br>add a 6000 mAh X-POWER<br>bank to the back of the<br>device for additional power | No                        | Only the ET40/ET45 offers hot swap capability – ideal for supporting multiple shifts with one device.  |
| Fast Charge      | Yes  | Yes                   | Not specified  | Yes                       | Fast charging support protects productivity as devices are ready to go in less time.   |
| Battery Metrics  | Yes<br>PowerPrecision  | No                    | No   | No                        | Zebra offers the most comprehensive collection of real-time battery metrics for better battery management.   |

|         |                           | NA/LA  | EMEA              | APAC/LA                 |                |
|---------|---------------------------|--|-------------------|-------------------------|----------------|
| Feature | Zebra<br>ET40/ET45 8-inch | Sonim R80  | Crosscall Core T4 | Chainway P80 Industrial | Why it matters |
|         | 10:00<br>10:00            | though the state of the state o |                   |                         |                |

| Voice Solutions   |  |                                     |                                  |                                  |  |
|-------------------|--|-------------------------------------|----------------------------------|----------------------------------|--|
| PTT over WLAN     | Yes, supported with optional PTT Express*; Ready-to-use and tested   | Future support via software release | Requires third-party application | Requires third-party application | The ET40/ET45 offers Zebra's Push-to-Talk PTT Express for instant PTT walkie-talkie style calls inside the four walls. Not only does it work right out of the box, since it's a Zebra application, Zebra can provide superior technical support. |
| PTT over Cellular | Yes, supported with optional PTT Pro*; Ready-to-use and tested   | Requires third-party application    | Requires third-party application | Requires third-party application | The ET40/ET45 offers optional Workforce Connect PTT Pro subscription service for walkie talkie-style communications over cellular and Wi-Fi networks.  |
| PBX handset       | Yes, supported with optional Workforce Connect Voice*; fully customizable interface makes it easy for workers to use complex advanced telephony features | No                                  | No                               | No                               | Without a comparable solution to Workforce<br>Connect Voice, competitive devices require<br>customers to purchase and maintain separate PBX<br>handsets for PBX communications.  |

<sup>\*</sup> Workforce Connect available Q4 2022.

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

|         |                           | NA/LA        | EMEA              | APAC/LA                 |                |
|---------|---------------------------|--------------|-------------------|-------------------------|----------------|
| Feature | Zebra<br>ET40/ET45 8-inch | Sonim R80    | Crosscall Core T4 | Chainway P80 Industrial | Why it matters |
|         | 10:00<br>10:00            | tocon, ant i | 1007              |                         |                |

| Software              |   |    |    |    |  |
|-----------------------|---|----|----|----|--|
| Software<br>Ecosystem | Mobility DNA Professional  Mobility DNA Enterprise (optional) | No | No | No | No other vendor offers such a <b>comprehensive ecosystem of software</b> to support rugged Android devices in the enterprise. Zebra has invested more than \$300 million in Mobility DNA and continues to invest, refining tools through multiple OS versions and thousands of deployments. Our time-tested expertise offers customers unique value with built-in utilities, applications and end-to-end enterprise solutions. |

|         |                           | NA/LA  | EMEA              | APAC/LA                 |                |
|---------|---------------------------|--|-------------------|-------------------------|----------------|
| Feature | Zebra<br>ET40/ET45 8-inch | Sonim R80  | Crosscall Core T4 | Chainway P80 Industrial | Why it matters |
|         | 10:00<br>10:00            | though the state of the state o |                   |                         |                |

| Accessories          |   |   |                                       |                          |   |
|----------------------|---|---|---------------------------------------|--------------------------|---|
| Charging accessories | Multi-slot charge cradle<br>Multi-slot battery charger<br>Desktop charge cradle<br>Wall charger | Desktop charge cradle<br>Wall charger<br>Dual battery charger | Wall charger<br>Desktop charge cradle | Desktop charge cradle    | Only Zebra offers high density device and battery chargers to simplify backroom device management.              |
| Rugged accessories   | Rugged boot increases drop spec to 5 ft./1.5 m  | No  | Screen protector                      | Rugged rubber boot       | The ET40/ET45 offers an optional rugged boot for added durability.  |
| POS accessories      | Point of Sale hub* Presentation stand*  | No  | No                                    | No                       | Only Zebra offers a complete, single vendor solution for Point of Sale applications.                            |
| Other accessories    | Workstation cradle<br>Hand straps<br>Stylus<br>VESA Mount adapter                               | Handstrap   | Handstrap<br>Holster                  | Pistol grip<br>Handstrap | Zebra offers a comprehensive enterprise-class accessory ecosystem – all developed, sold and supported by Zebra. |

<sup>\*</sup> POS Hub and Presentation stand available Q3 2022

## **10-inch Competitors**

## Samsung Tab Active Pro 10-inch

#### Key weaknesses

- Shorter device and support lifecycle customers may need to juggle a more complex mixed model deployment
- Inferior software ecosystem Samsung's software ecosystem is significantly limited compared with Mobility DNA
- Inferior wireless no 5G, no Wi-Fi 6, consumer Wi-Fi radio
- No integrated scan engine customers must either purchase a third-party sled (adds cost and bulk, lowers rugged specs) or third-party software (add costs, inferior performance)
- Lacks 8GB RAM option (4GB max) less future proof
- Voice solutions require third-party application (needs testing and validation)
- Limited accessory ecosystem most accessories are from third party vendors



- Lighter and thinner (although barcode scanning is not included out of the box; a scanning sled will add weight and bulk)
- IP68 sealing
- Expansion card slot



## Apple iPad 10-inch

### Key weaknesses

- Shorter device and support lifecycle customers may need to juggle a more complex mixed model deployment
- No software ecosystem Apple does not offer any kind of software ecosystem like Mobility DNA
- Inferior wireless no 5G, no Wi-Fi 6, consumer Wi-Fi radio
- No integrated scan engine customers must either purchase a third-party sled (adds cost and bulk, lowers rugged specs) or third-party software (add costs, inferior performance)
- No rugged specs out of the box customers must buy a third-party rugged case (adds cost and bulk)
- Battery is not removable devices must be taken out of service to charge
- Lacks 8GB RAM option (3GB max) less future proof
- Lower resolution rear camera
- No programmable keys for easy access to key features/applications
- Voice solutions require third-party application (needs testing and validation)
- Limited accessory ecosystem most accessories are from third party vendors

#### **Key strengths**

- Lighter and thinner (although does not include barcode scanning or ruggedness out of the box; scanning sled and rugged case will add weight and bulk)
- Higher resolution display



## Honeywell RT10 Android

#### Key weaknesses

- Older Android version (9) and inferior roadmap support
- Inferior software ecosystem: Mobility Edge is 7 years behind Mobility DNA
- 71% thicker and 74% heavier
- Inferior wireless no 5G, no Wi-Fi 6, no MU-MIMO, no CBRS
- Lacks 8GB RAM option (4GB max) less future proof
- FlexRange imager has less range than Zebra's SE55; Honeywell's red laser aimer is harder to see
- Lower capacity standard battery (and extended battery increases weight to over 3 lbs./1.4 kg)
- Voice solutions require third-party application (needs testing and validation)
- No high density charging solutions; no Point of Sale solutions



Brighter display



### Bluebird RT103

### Key weaknesses

- Older Android version (10); does not publish Android roadmap
- No software ecosystem Bluebird does not offer any kind of software ecosystem like Mobility DNA
- 28% thicker and 17% heavier
- Inferior wireless no 5G, no Wi-Fi 6, no MU-MIMO, no CBRS
- Lower resolution display
- Lacks 8GB RAM option (4GB max) less future proof
- Barcode scanning requires optional Smart Plug accessory
- No programmable keys for easy access to key features/applications
- · Lower sealing (IP54) on Wi-Fi only model
- Voice solutions require third-party application (needs testing and validation)
- No high density charging solutions; no Point of Sale solutions



None identified



## APAC: Honeywell/Huosheng MT10

#### Key weaknesses

- Android OS and roadmap is not known at this point
- Inferior software ecosystem: Mobility Edge is 7 years behind Mobility DNA (and it is not known if MT10 is on the Mobility Edge platform)
- Inferior wireless no 5G, no Wi-Fi 6, no MU-MIMO, no CBRS
- Lower resolution display
- Lacks 8GB RAM option (6GB max) less future proof
- No advanced range scanning option
- Lower drop specification
- No hot swap capability
- Voice solutions require third-party application (needs testing and validation)
- No high density charging solutions; no Point of Sale solutions

#### **Key strengths**

None identified

# Photo not available

## Feature Comparisons

|                |                       | GLOBAL                           | GLOBAL                 | GLOBAL                    | GLOBAL            | APAC                        |  |
|----------------|-----------------------|----------------------------------|------------------------|---------------------------|-------------------|-----------------------------|--|
| Feature        | Zebra<br>ET4x 10-inch | Samsung Tab<br>Active Pro 10 in. | Apple<br>iPad 10.2 in. | Honeywell<br>RT10 Android | Bluebird<br>RT103 | Honeywell/<br>Huosheng MT10 | Why it matters                             |
|                | 10.00<br>10.00        |                                  |                        |                           | 12.30<br>Vol. 11  | Photo not available         |  |
| Physical Chara | acteristics           |                                  |                        |                           |                   |                             |  |
|                |                       |                                  |                        |                           |                   |                             | MUNIC (I. ET 40/ET 45 in a cold in a const |

| Physical Chara | Physical Characteristics |                 |                 |                  |                   |                  |  |  |  |
|----------------|--------------------------|-----------------|-----------------|------------------|-------------------|------------------|--|--|--|
| Thickness      | 0.45 in./11.4 mm         | 0.39 in./9.9 mm | 0.29 in./7.5 mm | 0.77 in./19.5 mm | 0.57. in./14.6 mm | 0.49 in./12.5 mm | While the ET40/ET45 is not thinner or lighter than consumer tablets, it is lightweight, easy to carry and offers all the sleekness of a consumer device.   |  |  |
|                |                          |                 |                 |                  |                   |                  | It's important to note that Samsung<br>and Apple tablets do not include an<br>integrated scan engine and Apple   |  |  |
| Weight         | 1.52 lbs/690 g           | 1.44 lbs/653 g  | 1.10 lbs/498 g  | 2.65 lbs/1200 g  | 1.78 lbs/810 g    | 1.40 lbs/635 g   | offers no ruggedness without a protective case – adding a third-party scanning sled or case will significantly increase the overall weight and bulk of the solution. An Apple/Samsung tablet may be sleek out of the box, but becomes bulky once it's made enterprise ready. |  |  |

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

|       |     |                       | GLOBAL                           | GLOBAL                 | GLOBAL                    | GLOBAL                     | APAC                        |                |
|-------|-----|-----------------------|----------------------------------|------------------------|---------------------------|----------------------------|-----------------------------|----------------|
| Featu | ire | Zebra<br>ET4x 10-inch | Samsung Tab<br>Active Pro 10 in. | Apple<br>iPad 10.2 in. | Honeywell<br>RT10 Android | Bluebird<br>RT103          | Honeywell/<br>Huosheng MT10 | Why it matters |
|       |     | 10.00<br>Page 9       |                                  |                        |                           | 12:30<br>12:30<br>14:50:17 | Photo not available         |                |

| Physical Characteristics (continued) |   |   |  |   |                             |                            |   |  |  |  |
|--------------------------------------|---|---|--|---|-----------------------------|----------------------------|---|--|--|--|
| Display                              | 10.1 in. WUXGA<br>1920 x 1200<br>500 NITs | 10.1 in. WUXGA<br>1920 x 1200<br>550 NITs | 10.2 in. Retina<br>2160 x 1620<br>500 NITs | 10.1 in. WUXGA<br>1920 x 1200<br>800 NITs | 10.1 in. WXGA<br>1280 x 800 | 10 in. FHD+<br>1920 x 1080 | While not a competitive advantage compared with Apple, the ET40/ET45's display is bright and crisp enough for easy viewing indoors and outside. |  |  |  |
| Program-<br>mable<br>Keys            | Three                                     | One                                       | No   | Two                                       | No                          | Not specified              | Three programmable buttons provide instant access to commonly used applications or device features – making workflows more efficient.           |  |  |  |

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

|              |  | GLOBAL                                 | GLOBAL                    | GLOBAL   | GLOBAL            | APAC                        |   |
|--------------|--|--|---------------------------|--|-------------------|-----------------------------|---|
| Feature      | Zebra<br>ET4x 10-inch  | Samsung Tab<br>Active Pro 10 in.       | Apple<br>iPad 10.2 in.    | Honeywell<br>RT10 Android  | Bluebird<br>RT103 | Honeywell/<br>Huosheng MT10 | Why it matters  |
|              | 10 00<br>False   |  |                           | 1721   | 12.80<br>VA to 11 | Photo not available         |   |
| Wireless Com | munication   |  |                           |  |                   |                             |   |
| Wi-Fi        | WiFi-6 (802.11 ax)<br>802.11a/b/g/n/ac/d/h/<br>i/r/k/v/w/mc/ax<br>2x2 MU-MIMO;<br>Wi-Fi™ certified | WiFi-5 (802.11ac)<br>802.11 a/b/g/n/ac | WiFi-5 (802.11ac)<br>MIMO | WiFi-5 (802.11ac)<br>802.11a/b/g/n/ac/d/e/<br>h/i/k/r/w,<br>2x2 MIMO | WiFi-5 (802.11ac) | WiFi-5 (802.11ac)           | <ul> <li>The ET40/ET45 offers superior Wi-Fi connectivity:</li> <li>Only device in this group to support Wi-Fi 6, which offers higher throughput and lower latency</li> <li>Only device to support 2x2 Mu-MIMO, which boosts Wi-Fi network capacity, speed and range</li> <li>Supports more Wi-Fi protocols such as 802.11mc for locationing applications</li> <li>Zebra offers superior Wi-Fi radio firmware that takes the quality and reliability of Wi-Fi connections to a new level (requires optional Mobility DNA Enterprise)</li> </ul> |

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

|         |                       | GLOBAL                           | GLOBAL                 | GLOBAL                    | GLOBAL            | APAC                        |                |
|---------|-----------------------|----------------------------------|------------------------|---------------------------|-------------------|-----------------------------|----------------|
| Feature | Zebra<br>ET4x 10-inch | Samsung Tab<br>Active Pro 10 in. | Apple<br>iPad 10.2 in. | Honeywell<br>RT10 Android | Bluebird<br>RT103 | Honeywell/<br>Huosheng MT10 | Why it matters |
|         | 10.00<br>sand         |                                  |                        | 1000 1000                 | 1230<br>Val. 1    | Photo not<br>available      |                |

| Wireless Com | Wireless Communication (continued)        |             |                    |                                    |                                 |                                 |   |  |  |  |  |
|--------------|---|-------------|--------------------|------------------------------------|---------------------------------|---------------------------------|---|--|--|--|--|
| Cellular     | 5G (ET45, data only)                      | 4G LTE      | 4G LTE             | 4G LTE                             | 4G LTE                          | 4G LTE                          | Only the ET45 supports 5G — giving workers access to faster cellular speeds and providing a more future-proof platform.   |  |  |  |  |
| CBRS         | Yes (ET45)                                | No          | No                 | No                                 | No                              | No                              | Relevant for US only: The ET45 can connect to private LTE CBRS networks in the U.S, enabling cost-effective wireless connectivity in large indoor and outdoor facilities. |  |  |  |  |
| Bluetooth    | BT 5.1                                    | BT 5.0      | BT 4.2 with Beacon | BT 5.0                             | BT 5.0                          | BT 5.0                          | The ET40/ET45 supports a newer Bluetooth standard.  |  |  |  |  |
| GPS          | A-GPS, Galileo,<br>GNSS, BeiDou<br>(ET45) | A-GPS, GNSS | A-GPS, GNSS        | A-GPS, Galileo,<br>GLONASS, BeiDou | A-GPS, Galileo,<br>GNSS, BeiDou | A-GPS, Galileo,<br>GNSS, BeiDou | The ET45 offers comprehensive GPS support for global deployments.   |  |  |  |  |

|                     |   | GLOBAL  | GLOBAL  | GLOBAL  | GLOBAL   | APAC  |  |
|---------------------|---|---|---|---|--|---|--|
| Feature             | Zebra<br>ET4x 10-inch   | Samsung Tab<br>Active Pro 10 in.                  | Apple<br>iPad 10.2 in.                            | Honeywell<br>RT10 Android   | Bluebird<br>RT103                                  | Honeywell/<br>Huosheng MT10                   | Why it matters   |
|                     | 10.00<br>Long ()  |   |   | 1131  | 12.80<br>12.80<br>VA.No. 11                        | Photo not available                           |  |
| Data Capture        |   |   |   |   |  |   |  |
| Barcode<br>Scanning | Integrated Choice of: SE4100 1D/2D SE4710 1D/2D SE55 1D/2D Advanced Range Scan Engine with IntelliFocus™ technology (Premium) | No integrated<br>enterprise<br>scan engine option | No integrated<br>enterprise<br>scan engine option | Integrated<br>Choice of:<br>N6703 Standard<br>Range or Honeywell<br>FlexRange | NOT integrated<br>Requires Smart Plug<br>accessory | Integrated<br>enterprise-class<br>N4603 / HS7 | Samsung and Apple do not offer an integrated scan engine. Customers either need to purchase a third-party scanning sled (adds cost, lowers rugged specs and is more difficult to manage) or rely on the camera for barcode scanning (requires software license, inferior performance, particularly with challenging barcodes).  Zebra's SE55 is superior to Honeywell's FlexRange imager in terms of expected working range and performance trigger to beep time Zebra's green laser aimer is 7x more visible than Honeywell's red aiming, making it easier to scan from distances and in challenging lighting conditions. |

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

|              |                       | GLOBAL                           | GLOBAL                 | GLOBAL                    | GLOBAL            | APAC                        |   |
|--------------|-----------------------|----------------------------------|------------------------|---------------------------|-------------------|-----------------------------|---|
| Feature      | Zebra<br>ET4x 10-inch | Samsung Tab<br>Active Pro 10 in. | Apple<br>iPad 10.2 in. | Honeywell<br>RT10 Android | Bluebird<br>RT103 | Honeywell/<br>Huosheng MT10 | Why it matters  |
|              | 10.00<br>Jun 2        |                                  |                        |                           | Total             | Photo not available         |   |
| Data Capture | (continued)           |                                  |                        |                           |                   |                             |   |
| Rear Camera  | 13 MP                 | 13 MP                            | 8 MP                   | 13 MP                     | 13 MP (optional)  | 13 MP                       | A 13 MP rear camera can capture highly detailed photos and videos for proof of service, proof of condition, proof of compliance and more.   |
| Front Camera | 5 MP                  | 8 MP                             | 12 MP                  | 8 MP                      | 5 MP (optional)   | 5 MP                        | A 5 MP front camera offers more than enough resolution and detail for video calling. There's no known enterprise use case that requires more than 5 MP resolution for the front-facing camera |

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

|         |                       | GLOBAL                           | GLOBAL                 | GLOBAL                    | GLOBAL            | APAC                        |                |
|---------|-----------------------|----------------------------------|------------------------|---------------------------|-------------------|-----------------------------|----------------|
| Feature | Zebra<br>ET4x 10-inch | Samsung Tab<br>Active Pro 10 in. | Apple<br>iPad 10.2 in. | Honeywell<br>RT10 Android | Bluebird<br>RT103 | Honeywell/<br>Huosheng MT10 | Why it matters |
|         | 10.00<br>10.00        |                                  |                        | 1000 1155                 | 12:80<br>VA to: 1 | Photo not<br>available      |                |

| Performance Characteristics |   |   |                         |  |                   |                        |  |  |  |  |
|-----------------------------|---|---|-------------------------|--|-------------------|------------------------|--|--|--|--|
| Operating<br>System         | Android 11<br>upgradeable through<br>Android 14 | Android 10                                | iPadOS 15               | Android 9<br>upgradeable through<br>Android 11 | Android 10        | Not specified          | Zebra's superior Android roadmap extends device lifecycle.   |  |  |  |
| Processor                   | Octa-core QC 6375<br>2x 2.2 GHz + 6x 1.8<br>GHz | Octa-core QC<br>SDM670, 2 GHz,<br>1.7 GHz | Quad-core A13<br>Bionic | Octa-core QC<br>Snapdragon<br>2.2 GHz          | Octa-core 1.8 GHz | Octa-core MTK G85      | The ET40/ET45 provides enough processing power for demanding enterprise applications.  |  |  |  |
| Memory                      | 4GB or 8GB                                      | 4GB                                       | 3GB                     | 4GB  | 3GB or 4GB        | 4GB or 6GB             | Only the ET40/ET45 offers an 8GB option; with higher RAM it's able to support future upgrades and memory intensive applications with ease. |  |  |  |
| Storage                     | 64GB or 128GB<br>UFS Flash                      | 64GB                                      | 64GB or 256GB           | 32GB   | 32GB or 64GB      | 64GB or 128GB          | UFS (Universal Flash Storage) improves performance and battery consumption.  |  |  |  |
| Expandable<br>Storage       | No  | microSD up to<br>512GB                    | No                      | microSD up to<br>512GB                         | microSD up to 2TB | microSD up to<br>128GB | The ET40/ET45 does not offer a user accessible expansion slot.   |  |  |  |

**GLOBAL** 

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

**GLOBAL** 

| Feature         | Zebra<br>ET4x 10-inch  | Samsung Tab<br>Active Pro 10 in.                               | Apple<br>iPad 10.2 in.          | Honeywell<br>RT10 Android               | Bluebird<br>RT103  | Honeywell/<br>Huosheng MT10        | Why it matters  |
|-----------------|--|--|---------------------------------|---|--|------------------------------------|---|
|                 | 10 00<br>Total   |  |                                 | 1121                                    | 12.20<br>72.20<br>43.55.1  | Photo not available                |   |
| Environmenta    | ı  |  |                                 |   |  |                                    |   |
| Drop Spec       | Standard: 4 ft./1.2 m<br>to concrete<br>With optional rugged<br>boot: 5 ft./1.5 m to<br>concrete<br>MIL-STD-810H | With cover: 4 ft./ 1.2 m to plywood over concrete MIL-STD-810G | No                              | 4 ft./1.2 m to concrete<br>MIL-STD-810G | Standard: 4 ft./1.2 m<br>With exoskeleon:<br>5 ft./1.5 m<br>MIL-STD-810G | 3.2 ft./1 m<br>MIL-STD-810H        | The ET40/ET45 passes a more stringent drop test than Samsung: drops to concrete vs. plywood over concrete. Note that the ET40/ET45 has the same out-of-the-box drop specs as Honeywell and Bluebird – devices that are significantly thicker and heavier!   |
| Sealing         | IP65   | IP68   | No                              | IP65                                    | IP54 (WLAN only),<br>IP65 (WWAN<br>devices)                              | IP65                               | With IP65 sealing, the ET40/ET45 is fully dust tight and protected against jetting water (low pressure wash downs) and rain. Samsung's IP68 sealing protects against submersion in water, which won't be necessary in a majority of use cases/environments. |
| Operating Temp. | -4° F to 122° F<br>-20° C to 50° C   | Not specified  | 32° F to 95° F<br>0° C to 35° C | 14° F to 122° F<br>-10° C to 50° C      | -4° F to 122° F<br>-20° C to 50° C                                       | -4° F to 140° F<br>-20° C to 60° C | The ET40/ET45 can be used (or left in a vehicle) in both extreme heat and extreme cold.   |

**GLOBAL** 

**GLOBAL** 

**APAC** 

ZEDRA GUNFIDENTIAL INTERNAL USE UNLT

71

## Competitive Comparison: 10-inch

|         |                       | GLOBAL                           | GLOBAL                 | GLOBAL                    | GLOBAL            | APAC                        |                |
|---------|-----------------------|----------------------------------|------------------------|---------------------------|-------------------|-----------------------------|----------------|
| Feature | Zebra<br>ET4x 10-inch | Samsung Tab<br>Active Pro 10 in. | Apple<br>iPad 10.2 in. | Honeywell<br>RT10 Android | Bluebird<br>RT103 | Honeywell/<br>Huosheng MT10 | Why it matters |
|         | 10.00<br>National     |                                  |                        | 1000 (121                 | 12.80<br>VA to 1  | Photo not available         |                |
| Power   |                       |                                  |                        |                           |                   |                             |                |

| Power               |  |                        |                            |  |                        |          |  |
|---------------------|--|------------------------|----------------------------|--|------------------------|----------|--|
| Battery<br>Capacity | 7600 mAh,<br>Removable   | 7600 mAh,<br>Removable | 8827 mAh,<br>NOT removable | Standard: 5140 mAh<br>Extended:<br>10280 mAh | 6000 mAh,<br>Removable | 8000 mAh | The ET40/ET45 offers a great balance between battery capacity and device weight.  Apple's battery is not removable, so devices must be taken out of service to charge (and cannot support back-to-back shifts).  While Honeywell RT10A has a very large extended capacity option, device weight is over 3 lbs./1.4 kg. |
| Hot Swap            | Yes Optional hot swappable 3400 mAh secondary battery, for use with expansion back accessory | No                     | No                         | Yes  | Yes                    | No       | Hot swap capability provides constant power – ideal for supporting multiple shifts with one device.  |

|                    |  | GLOBAL                              | GLOBAL                           | GLOBAL                    | GLOBAL                           | APAC                             |   |
|--------------------|--|-------------------------------------|----------------------------------|---------------------------|----------------------------------|----------------------------------|---|
| Feature            | Zebra<br>ET4x 10-inch  | Samsung Tab<br>Active Pro 10 in.    | Apple<br>iPad 10.2 in.           | Honeywell<br>RT10 Android | Bluebird<br>RT103                | Honeywell/<br>Huosheng MT10      | Why it matters  |
|                    | 10:00<br>Value   |                                     |                                  | 1124                      | 12.80<br>Val. or 1               | Photo not available              |   |
| Power (contin      | ued)   |                                     |                                  |                           |                                  |                                  |   |
| Fast Charge        | Yes  | Yes                                 | Yes                              | No                        | No                               | No                               | Fast charging support protects productivity as devices are ready to go in less time.  |
| Battery<br>Metrics | Yes<br>PowerPrecision  | No                                  | No                               | Limited                   | No                               | No                               | Zebra offers the most comprehensive collection of real-time battery metrics for better battery management.  |
| Voice Solutions    |  |                                     |                                  |                           |                                  |                                  |   |
| PTT over<br>WLAN   | Yes, supported with optional PTT Express*; Ready-to-use and tested | Requires third-party<br>application | Requires third-party application | Yes, with Smart Talk      | Requires third-party application | Requires third-party application | The ET40/ET45 offers Zebra's Pushto-Talk PTT Express for instant PTT walkie-talkie style calls inside the four walls. Not only does it work right out of the box, since it's a Zebra application, Zebra can provide superior technical support. |

<sup>\*</sup> Workforce Connect available Q4 2022.

|                |                       | GLOBAL                           | GLOBAL                 | GLOBAL                    | GLOBAL            | APAC                        |                |
|----------------|-----------------------|----------------------------------|------------------------|---------------------------|-------------------|-----------------------------|----------------|
| Feature        | Zebra<br>ET4x 10-inch | Samsung Tab<br>Active Pro 10 in. | Apple<br>iPad 10.2 in. | Honeywell<br>RT10 Android | Bluebird<br>RT103 | Honeywell/<br>Huosheng MT10 | Why it matters |
|                | 10:00<br>June 1       |                                  |                        | 1000 1000                 | 12.00<br>Va. 2. 1 | Photo not<br>available      |                |
| Voice Solution | s (continued)         |                                  |                        |                           |                   |                             |                |

| Voice Solution       | s (continued)  |                                  |                                  |                                  |                                  |                                  |  |
|----------------------|--|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|--|
| PTT over<br>Cellular | Yes, supported with optional PTT Pro*; Ready-to-use and tested   | Requires third-party application | The ET40/ET45 offers optional Workforce Connect PTT Pro subscription service for walkie talkiestyle communications over cellular and Wi-Fi networks.                   |
| PBX handset          | Yes, supported with optional Workforce Connect Voice*; fully customizable interface makes it easy for workers to use complex advanced telephony features | No                               | No                               | No                               | No                               | No                               | Without a comparable solution to Workforce Connect Voice, competitive devices require customers to purchase and maintain separate PBX handsets for PBX communications. |

<sup>\*</sup> Workforce Connect available Q4 2022.

74

## Competitive Comparison: 10-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

|                       |   | GLOBAL   | GLOBAL                 | GLOBAL   | GLOBAL                     | APAC                        |   |
|-----------------------|---|--|------------------------|--|----------------------------|-----------------------------|---|
| Feature               | Zebra<br>ET4x 10-inch   | Samsung Tab<br>Active Pro 10 in.   | Apple<br>iPad 10.2 in. | Honeywell<br>RT10 Android  | Bluebird<br>RT103          | Honeywell/<br>Huosheng MT10 | Why it matters  |
|                       | 10.00<br>Note:  |  |                        |  | 12.20<br>12.20<br>MA In 11 | Photo not available         |   |
| Software              |   |  |                        |  |                            |                             |   |
| Software<br>Ecosystem | Mobility DNA<br>Professional<br>Mobility DNA<br>Enterprise (optional) | Limited, and many<br>software tools are<br>proprietary unlike<br>Zebra's standard-<br>based approach | No                     | Limited, Honeywell's<br>Mobility Edge is<br>7 years behind<br>Mobility DNA | No                         | Not specified               | No other vendor offers such a comprehensive ecosystem of software to support rugged Android devices in the enterprise. Zebra has invested more than \$300 million in Mobility DNA and continues to invest, refining tools through multiple OS versions and thousands of deployments. Our time-tested expertise offers customers unique value with built-in utilities, applications and end-to-end enterprise solutions. |

|                      |  | GLOBAL  | GLOBAL  | GLOBAL   | GLOBAL                                | APAC                        |   |
|----------------------|--|---|---|--|---------------------------------------|-----------------------------|---|
| Feature              | Zebra<br>ET4x 10-inch  | Samsung Tab<br>Active Pro 10 in.  | Apple<br>iPad 10.2 in.  | Honeywell<br>RT10 Android                                | Bluebird<br>RT103                     | Honeywell/<br>Huosheng MT10 | Why it matters  |
|                      | 10.00<br>1.ur  |   |   | 100  | Lines 1                               | Photo not available         |   |
| Accessories          |  |   |   |  |                                       |                             |   |
| Charging accessories | Multi-slot charge<br>cradle<br>Multi-slot battery<br>charger<br>Desktop charge<br>cradle<br>Wall charger | USB-C charger<br>Other charging<br>accessories may be<br>available through<br>third-party vendors | USB-C charger<br>Other charging<br>accessories may be<br>available through<br>third-party vendors | 2-slot battery charger<br>Desktop cradle<br>Wall charger | 1-slot desktop cradle<br>Wall charger | Not specified               | The ET40/ET45 offers a comprehensive range of charging accessories, from low cost single slot charge only or communication cradles to multi-slot charge and communication cradles to simplify the backroom. Unlike Samsung/Apple tablets, the ET40/ET45's charging accessories are developed, sold and supported by Zebra |
| Rugged accessories   | Rugged boot increases drop spec to 5 ft./1.5 m   | Available through third-party vendors   | Available through third-party vendors   | No   | No                                    | Not specified               | Unlike Samsung/Apple tablets, the ET40/ET45's rugged boot is developed, sold and supported by Zebra.  |

|                   |   | GLOBAL  | GLOBAL                                | GLOBAL   | GLOBAL                                    | APAC                        |   |
|-------------------|---|---|---------------------------------------|--|---|-----------------------------|---|
| Feature           | Zebra<br>ET4x 10-inch   | Samsung Tab<br>Active Pro 10 in.                        | Apple<br>iPad 10.2 in.                | Honeywell<br>RT10 Android  | Bluebird<br>RT103                         | Honeywell/<br>Huosheng MT10 | Why it matters  |
|                   | 10.00   |   |                                       | mm 4/24  | Top 1                                     | Photo not available         |   |
| Accessories (     | continued)  |   |                                       |  |   |                             |   |
| POS accessories   | Point of Sale hub* Presentation stand*                            | Available through third-party vendors                   | Available through third-party vendors | No   | No  | Not specified               | Only Zebra offers a complete, single vendor solution for Point of Sale applications.                            |
| Other accessories | Workstation cradle<br>Hand straps<br>Stylus<br>VESA Mount adapter | Book covers<br>S Pen<br>USB-C headphone<br>jack adapter | Folio covers<br>Apple Pen             | Vehicle dock Desktop dock Rugged keyboard Hand strap Carrying case VESA/RAM mounts | Shoulder strap<br>Carrying case<br>Handle | Not specified               | Zebra offers a comprehensive enterprise-class accessory ecosystem – all developed, sold and supported by Zebra. |

<sup>\*</sup> POS Hub and Presentation stand available Q3 2022

## **Sales Tools and Resources**

### Sales Enablement Tools

| Product beauty/application photographyProduct beauty/application photographySpec SheetSelling guide presentationCustomer presentationBattlecardBattlecardProduct page on Zebra.comProduct descriptionsProduct descriptionsProduct video and short videos by verticalPartner top 5 reasons to sellCustomer top 5 reasons to buy |
|--|
| Battlecard Product page on Zebra.com  Product descriptions Product video and short videos by vertical  |
| Product descriptions Product descriptions Product video and short videos by vertical   |
|  |
| Partner top 5 reasons to sell Customer top 5 reasons to buy  |
|  |
| Tablet positioning guide Tablet positioning guide Infographic  |
| The Source product page Partner Gateway Microsite Consumer device comparison one-pager   |
| LMS training modules   |
| Pre-launch training video Pre-launch training video Accessory guide  |

78

#### ET40/ET45 Resources

#### **Marketing Reference Material**

The Source (for internal Zebra only): <a href="https://zebra.showpad.biz/webapp2/home">https://zebra.showpad.biz/webapp2/home</a>

Partner Gateway: <a href="https://partnerportal.zebra.com">https://partnerportal.zebra.com</a>

ET40/ET45 Product Home: <a href="https://www.zebra.com/et40-et45">www.zebra.com/et40-et45</a>

Services: <u>www.zebra.com/zebraonecare</u>

Learning Portal: <a href="https://partnerportal.zebra.com/PartnerPortal/resources/education/portfolio\_training.aspx">https://partnerportal.zebra.com/PartnerPortal/resources/education/portfolio\_training.aspx</a>

Solutions Pathway: <a href="https://solutionspathway.zebra.com">https://solutionspathway.zebra.com</a>

Developer Tools: <a href="https://developer.zebra.com">https://developer.zebra.com</a>

Mobility DNA Enterprise Kit: <a href="https://www.zebra.com/mobility-dna-kit">www.zebra.com/mobility-dna-kit</a>

Support: <a href="https://www.zebra.com/support">www.zebra.com/support</a>

79



## **Thank You!**

For more information, please visit <a href="https://www.zebra.com/et40-et45">www.zebra.com/et40-et45</a>

ZEBRA and the stylized Zebra head are trademarks of ZIH Corp, registered in many jurisdictions worldwide. All other trademarks are the property of their respective owners. ©2022 ZIH Corp and/or its affiliates. All rights reserved.