



ET40/ET45

Enterprise Tablets

SELLING GUIDE

June 13, 2022



For Internal Use by
PartnerConnect Members Only

Contents

1. The Opportunity
2. Target Markets
3. Portfolio Positioning
4. Customer Engagement Questions
5. 8-inch Global Competitors
6. 8-inch Regional Competitors
7. 10-inch Global Competitors
8. Sales Tools

The Opportunity

ET40/ET45

The right-priced rugged tablets that have it all — right out of the box

Increase penetration in the value tier tablet market

Cost-effective price point to compete with consumer-grade, line of business tablets

Consumer styling that is business tough

Zebra's thinnest enterprise tablet; rugged right out of the box

Integrated barcode scanner

Choice of three Zebra enterprise-class scanners

A multi-year lifecycle

Same device will be available for three years with six years of service and support

Advanced wireless connectivity

Fastest Wi-Fi and cellular speeds with support for Wi-Fi 6 and 5G (ET45)

Software differentiators

Complimentary Zebra Mobility DNA Professional tools and optional Mobility DNA Enterprise





Unlocking the value tier

With the ET40/ET45, Zebra is penetrating the lower cost value tier tablet market, which has been almost exclusively served by consumer tablets

Before...

Enterprises purchased seemingly inexpensive and good-looking consumer tablets because they're **“good enough”** for the job

But they end up paying more in the long run because...

- \$ Devices fail with frequent bumps and drops
- \$\$ An additional rugged boot or scanning sled is needed to make the solution work
- \$\$\$ Service and support are insufficient
- \$\$\$\$ Workers are stuck performing enterprise tasks with minimal enterprise-grade functionality

Now...

There's no need to compromise. The ET40/ET45 offers...

Affordability and sleek consumer **styling**

Plus

- Enterprise functionality
- Rugged design out of the box
- Enterprise lifecycle, service and support
- Low total cost of ownership (TCO)

Why “good enough” isn’t good enough

Your customers shouldn't have to settle or try to force fit a consumer device into an enterprise job

ET40/ET45 tablet

Consumer tablet



Does it have an integrated scanner?




Is it rugged right out of the box?



Does it have a long device and support lifecycle?



Can I get all the accessories I need from one vendor?



ET40/ET45 vs. consumer tablets

| | Zebra ET40/ET45 | A consumer tablet |
|---------------------------|---|---|
| Durability | Rugged design out of the box. Zebra rugged boot available for even more demanding environments | May lack drop spec and sealing out of the box; requires a third-party rugged boot accessory to add any durability |
| Barcode scanning | Integrated enterprise-class scan engines from the world leader in barcode scanning | Lacks integrated barcode scanning. Customers either need to: 1. Purchase a third-party scanning sled: increases overall cost, adds bulk/weight, lowers rugged specs and adds management complexity 2. Rely on the camera for barcode scanning: requires a separate software license |
| Hardware lifecycle | Three years | One or two years – Enterprises may need to purchase a different model when expanding their fleet or replacing devices. These mixed-model deployments are more complicated and time-consuming to manage |
| Support | Support provided for six years from purchase date; enterprise-class maintenance plans | Support may end at EOS |
| Security | LifeGuard for Android™ extends security support for the life of the device; provides updates as frequently as every 30 days! | Security support may stop after 4 years. Update patches provided less frequently – may result in security risks |
| Battery | Power that's made for the enterprise; user replaceable batteries and an optional hot-swappable secondary battery eliminate downtime from a dead battery; can power back-to-back shifts on a single charge | Batteries may not be user-replaceable; workers will need to search around for a charge cable when the battery is low |

ET40/ET45 vs. consumer tablets (continued)

| | Zebra ET40/ET45 | A consumer tablet |
|------------------------------|---|--|
| Voice solutions | Get out of the box collaboration with Zebra's Push-to-Talk Express, Workforce Connect PTT Pro and Workforce Connect Voice* | Customers must rely on third party applications to enable staff PTT, secure text messaging and PBX functionality. These apps require testing and validation. |
| Accessories | Comprehensive enterprise-class accessory ecosystem – all developed, sold and supported by Zebra | Limited enterprise accessories; customers must research, evaluate and purchase third party accessories |
| Wireless connectivity | Count on the latest and fastest wireless connections, including 5G and Wi-Fi 6 | Consumer tablet may not support the latest wireless connectivity — none of the ET4x 10-inch primary competitors currently support 5G or Wi-Fi 6 |
| Wi-Fi performance | Enterprise-grade Wi-Fi radios; support for more Wi-Fi protocols; advanced tools and technology for unsurpassed Wi-Fi connectivity (with optional Mobility DNA Enterprise) | No comparable Wi-Fi tools; customers get a standard consumer smartphone Wi-Fi radio; Wi-Fi issues will be harder to troubleshoot and can impact productivity |

* Workforce Connect available Q4 2022

Target Markets

Target Markets



Retail

Improve store operations and enhance the customer experience with faster, easier checkouts

Target users

Store associates, Store managers

Key use cases:

- Assisted selling – inventory lookup, price checking
- Line busting – pull people out of long lines during peak times and check them out remotely
- Point of sale – leverage Workstation Connect* in different areas throughout the store to check out shoppers; POS at curbside pickup
- Inventory management – back of store
- Staff management and communication



Hospitality

Improve operations and enhance the guest/customer experience with faster service

Target users

Hotel check-in, restaurant hostess and wait staff

Key use cases:

- Check-in – check in at hotel front desk or restaurant hostess stand
- Ordering food in restaurant
- Line busting – pull people out of long lines during peak times and complete their orders remotely
- Point of sale – leverage Workstation Connect* in different areas throughout the store to check out guests; POS at curbside pickup or drive-through
- Staff management and communication



Transportation & Logistics

Improve operations and keep drivers connected; speed up delivery times and increase customer satisfaction

Target users

Delivery drivers

Key use cases:

- Routing and dispatch
- Proof of pickup and delivery – signature capture and image capture
- Invoicing and Mobile Point of Sale
- Inventory management
- Parcel track and trace
- Staff management and communication

While core target markets include retail, hospitality and T&L, the ET40 and ET45 are ideal in any market where businesses need a low-cost tablet with enterprise features and are considering line of business tablets

Portfolio Positioning

Tablet Portfolio

12"

10"

8"



ET4x



ET5x



L10/L10ax



ET8x

Operating System



Features

Right-price rugged tablets that are built for the enterprise

- 8 in. and 10 in. models
- Thinnest and lightest Zebra tablets
- Integrated scanner with choice of three Zebra scan engines
- Z-Backs add functionality; additional power and payment modules
- Advanced wireless communications
- Rugged boot option increases durability

Surprisingly rugged, thin and lightweight for everyday business use

- 8 in. and 10 in. models
- Z-Backs add functionality; additional power, scanning and payment modules
- 8 in. integrated scanner option
- Rugged boot option increases durability

Seriously rugged to the core, incredibly versatile

- Three 10 in. form factors:
 - XSlate – Classic form factor
 - XPad – Rugged integrated handle
 - XBook – with KickStrap and keyboard
- Built-in barcode reader option – XPad
- Advanced wireless communications and processor (L10ax Windows)
- Rugged specs that outperform in the harshest conditions

Uncompromised rugged mobility

- True 12 in. 2-in-1 tablet with detachable friction hinge keyboard
- Rugged, yet surprisingly thin and lightweight for a 12 in. tablet
- Advanced wireless communications and processor
- Universal docking solution – desktop and vehicle

Zebra ET4x/ET5x Rugged Tablet Portfolio Comparison

| Feature | ET40/ET45 8-inch | ET40/ET45 10-inch | ET51/ET56 8-inch | ET51/ET56 10-inch | ET51 with Integrated Scanner |
|--------------------------|---|---|---|--|---|
| Physical characteristics | | | | | |
| Dimensions* | 213.9 mm x 134.8 mm x 11.4 mm | 257.9 mm x 162.9 mm x 11.4 mm | 228 mm x 150 mm x 12.7 mm | 269 mm x 181 mm x 12.7 mm | 246 mm x 164 mm x 27 mm |
| Weight* | 1.07 lbs./485 g | 1.52 lbs./690 g | 1.26 lbs./570 g | 1.69 lbs./765 g | 1.6 lbs./740 g |
| Display (Viewing) | 8 in. 1280 x 800 500 Nits Daylight viewable Corning Gorilla Glass | 10 in. 1920 x 1200 500 Nits Daylight viewable Corning Gorilla Glass | 8.4 in. Supports up to 2560x1600 720 Nits Daylight viewable Corning Gorilla Glass | 10.1 in. Supports up to 2560x1600 540 Nits Daylight viewable Corning Gorilla Glass | 8.4 in. Supports up to 2560x1600 720 Nits Daylight viewable Corning Gorilla Glass |
| Display (Touch) | Capacitive multi-touch | Capacitive multi-touch | Capacitive multi-touch | Capacitive multi-touch | Capacitive multi-touch |

* ET51/ET56 dimensions and weight can vary slightly depending on OS. Please refer to the model's specification sheet for the exact dimensions and weight.

Zebra ET4x/ET5x Rugged Tablet Portfolio Comparison

| Feature | ET40/ET45 8-inch | ET40/ET45 10-inch | ET51/ET56 8-inch | ET51/ET56 10-inch | ET51 with Integrated Scanner |
|-----------------------------|--|--|--|--|--|
| Performance characteristics | | | | | |
| Operating System | Android 11 (upgradeable through Android 14) | Android 11 (upgradeable through Android 14) | Android 11 (upgradeable through Android 14) Windows 10 IoT Enterprise | Android 11 (upgradeable through Android 14) Windows 10 IoT Enterprise | Android 11 (upgradeable through Android 14) Windows 10 IoT Enterprise |
| Processor | Qualcomm 6375 octa-core 2x 2.2 GHz + 6x 1.8 GHz | Qualcomm 6375 octa-core 2x 2.2 GHz + 6x 1.8 GHz | Android: Qualcomm Snapdragon 660 octa-core 2.2 GHz Windows: Intel Atom E3940 quad core 1.6 GHz (Turbo Frequency = 1.8 GHz) | Android: Qualcomm Snapdragon 660 octa-core 2.2 GHz Windows: Intel Atom E3940 quad core 1.6 GHz (Turbo Frequency = 1.8 GHz) | Android: Qualcomm Snapdragon 660 octa-core 2.2 GHz Windows: Intel Atom E3940 quad core 1.6 GHz (Turbo Frequency = 1.8 GHz) |
| Memory and Storage | 4GB or 8GB RAM/ 64GB or 128GB UFS Flash | 4GB or 8GB RAM/ 64GB or 128GB UFS Flash | Android: 4 GB LPDDR4 SDRAM Discrete /32 GB MLC eMMC Flash Windows: 4 GB LPDDR4 RAM; 64 GB eMMC Flash | Android: 4 GB LPDDR4 SDRAM Discrete /32 GB MLC eMMC Flash Windows: 4 GB LPDDR4 RAM; 64 GB eMMC Flash | Android: 4 GB LPDDR4 SDRAM Discrete /32 GB MLC eMMC Flash Windows: 4 GB or 8GB LPDDR4 RAM; 64 GB or 128 GB eMMC Flash |
| Expandable Storage | No | No | Micro SDXC (up to 2TB) | Micro SDXC (up to 2TB) | Android: Micro SDXC (up to 256GB) Windows: Micro SDXC (up to 200GB) |

Zebra ET4x/ET5x Rugged Tablet Portfolio Comparison

| Feature | ET40/ET45 8-inch | ET40/ET45 10-inch | ET51/ET56 8-inch | ET51/ET56 10-inch | ET51 with Integrated Scanner |
|------------------------------|---|---|---|---|--|
| Wireless Connectivity | | | | | |
| WLAN | 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax Dual band 2x2 MU-MIMO | 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax Dual band 2x2 MU-MIMO | Android: 802.11 a/b/g/n/d/h/i/k/r/ac Windows: 802.11 a/b/g/n/ac/r/k/v Dual band 2x2 MIMO | Android: 802.11 a/b/g/n/d/h/i/k/r/ac Windows: 802.11 a/b/g/n/ac/r/k/v Dual band 2x2 MIMO | Android: 802.11 a/b/g/n/d/h/i/k/r/ac Windows: 802.11 a/b/g/n/ac/r/k/v Dual band 2x2 MIMO |
| WWAN | ET45: 5G (data only) | ET45: 5G (data only) | ET56: Global LTE (data only) North America LTE (data only): AT&T and Verizon | ET56 Windows only: Global LTE (data only); North America LTE (data only): AT&T and Verizon | No |
| CBRS (U.S. only) | ET45: Yes | ET45: Yes | No | No | No |
| Bluetooth | BT 5.1 (Bluetooth LE) | BT 5.1 (Bluetooth LE) | Android: V5.0 / 2.1+EDR (Bluetooth LE) Windows: V4.2 (Bluetooth LE) | Android: V5.0 / 2.1+EDR (Bluetooth LE) Windows: V4.2 (Bluetooth LE) | Android: v5.0 / 2.1+EDR Class 2 (Bluetooth LE) Windows: Bluetooth v4.2 (Bluetooth LE) |
| GPS | ET45: A-GPS, Galileo, GNSS, BeiDou | ET45: A-GPS, Galileo, GNSS, BeiDou | ET56: GPS, Galileo, Glonass, A-GPS | ET56: GPS, Galileo, Glonass, A-GPS | No |

Zebra ET4x/ET5x Rugged Tablet Portfolio Comparison

| Feature | ET40/ET45 8-inch | ET40/ET45 10-inch | ET51/ET56 8-inch | ET51/ET56 10-inch | ET51 with Integrated Scanner |
|-----------------------------|---|---|---|---|---|
| Data Capture Options | | | | | |
| Barcode Scanning | Integrated SE4100 1D/2D SE4710 1D/2D SE55 1D/2D Advanced Range Scan Engine with IntelliFocus™ technology (Premium) | Integrated SE4100 1D/2D SE4710 1D/2D SE55 1D/2D Advanced Range Scan Engine with IntelliFocus™ technology (Premium) | SE4710 1D/2D or SE4750 1D/2D available via expansion back | SE4710 1D/2D or SE4750 1D/2D available via expansion back | Integrated Android: SE4710 1D/2D Windows: SE4710 1D/2D or SE4750 1D/2D |
| Rear Camera | 13 MP | 13 MP | Android: 13 MP Windows: 8 MP | Android: 13 MP Windows: 8 MP | Android: 13 MP Windows: 8 MP |
| Front Camera | 5 MP | 5 MP | Android: 5 MP Windows: 2 MP | Android: 5 MP Windows: 2 MP | Android: 5 MP Windows: 2 MP |
| Power | | | | | |
| Battery | 23.61 Whr Optional hot swap: 25.84 Whr | 29.41 Whr Optional hot swap: 25.84 Whr | 25 Whr Optional hot swap: 24.4 Whr | 38 Whr Optional hot swap: 24.4 Whr | 24.4 Whr Optional hot swap: 24.4 Whr |

Zebra ET4x/ET5x Rugged Tablet Portfolio Comparison

| Feature | ET40/ET45 8-inch | ET40/ET45 10-inch | ET51/ET56 8-inch | ET51/ET56 10-inch | ET51 with Integrated Scanner |
|-----------------------|--|--|--|--|---|
| Rugged Specifications | | | | | |
| Sealing | IP65 | IP65 | IP65 | IP65 | IP65 |
| Drop Spec | Standard: 4 ft./1.2 m to concrete With optional rugged boot: 5.1 ft./1.5 m to concrete MIL-STD-810H | Standard: 4 ft./1.2 m to concrete With optional rugged boot: 5.1 ft./1.5 m to concrete MIL-STD-810H | Standard: 3.3 ft./1 m to concrete With optional rugged boot: 5.9 ft./1.8 m to concrete MIL-STD-810G | Standard: 3.3 ft./1 m to concrete With optional rugged boot: 5.9 ft./1.8 m to concrete MIL-STD-810G | Android: 4 ft./1.2 m to concrete or 5 ft./1.5 m to plywood Windows: 3.28 ft./1 m to concrete With optional rugged boot: 5.9 ft./1.8 m to concrete MIL-STD-810G |
| Operating Temp. | -4° F to 122° F -20° C to 50° C | -4° F to 122° F -20° C to 50° C | -4° F to 122° F -20° C to 50° C | -4° F to 122° F -20° C to 50° C | -4° F to 122° F -20° C to 50° C |

Customer Engagement Questions

Customer Engagement Questions: 1 of 3

- Have you deployed or are you considering equipping your workers with line of business tablets. If so, are you concerned about:
 - Device durability out of the box?
 - Product lifecycle and support?
 - Data capture performance and the added cost/complexity of purchasing a third-party scanning sled?
 - Available accessories and the added complexity of purchasing third-party accessories?
- Would you prefer a purpose-built enterprise tablet that fits your budget?
- How often do workers need to scan barcodes?
 - Is scanning performance important – such as scanning speed and the ability to accurately capture damaged barcodes?
 - Do workers ever have trouble capturing a barcode with their tablet's camera and does this impact productivity or data accuracy?
 - Do you need to manage a separate scanning sled with your current tablet solution?
 - Could you improve productivity with the versatility to quickly capture barcodes in hand or across the room? *(If the answer is yes, position the SE55 scan engine)*

Customer Engagement Questions: 2 of 3

- Are you currently using hard-wired workstations for employee training, assisted selling or other use cases? Would you like your tablet to double as an on-demand workstation? *(If the answer is yes, position the ET40/ET45 with Workstation Cradle*)*
- Would you like to create an on-demand hybrid POS complete with a large display, scanner, receipt printer, payment terminal, keyboard and mouse? *(If the answer is yes, position the ET40/ET45 with Presentation Stand and Point of Sale hub*)*
- Have you deployed or are you planning to deploy Wi-Fi 6 in the future? Would you like a tablet that's ready to take advantage of the faster speeds, reduced latency and greater bandwidth of Wi-Fi 6?
- Would you like to give workers access to the fastest cellular speeds?
- Is battery life a factor? Would having a hot-swappable battery be valuable, allowing your tablets to perform over multiple shifts on a single charge? *(If the answer is yes, position the secondary battery with expansion back accessory)*
- Would working with the leader in Android for the enterprise allow you to more confidently deploy Android devices in your business?

* Workstation Connect, Workstation cradle, POS Hub and Presentation stand available 2H 2022

Customer Engagement Questions: 3 of 3

Questions to uncover the need for the Mobility DNA Enterprise License

- Do you need enterprise-quality VoWiFi solutions, such as: push-to-talk communications to keep your workforce connected over Wi-Fi or cellular connections? Do you want your devices to also function as fully-featured PBX handsets to reduce the number of devices for you and your workers to manage?*
- Would you like a tool that can help you rapidly identify, analyze and troubleshoot issues on your Wi-Fi network, before workforce productivity is impacted?
- Would you like to boost productivity with the ability to capture up to 100 barcodes, even on multiple labels, with a single scan? Or to detect signature presence and ensure a form was signed?
- Would you like a simple utility that would make it easier for workers to use and manage their Bluetooth accessories, and for IT to centrally control Bluetooth capabilities?
- Would you like to give your workers a soft keypad that is best suited to simplify the type of data your workers need to enter?

* Workforce Connect available Q4 2022.

8-inch Global Competitors

Fight Sheets

Samsung Tab Active Pro 3 10-inch

Key weaknesses

- Shorter device and support lifecycle – customers may need to juggle a more complex mixed model deployment
- Inferior software ecosystem – Samsung's software ecosystem is significantly limited compared with Mobility DNA
- No 5G or CBRS support
- Inferior Wi-Fi – no MU-MIMO, consumer Wi-Fi radio
- No integrated scan engine – customers must either purchase a third-party sled (adds cost and bulk, lowers rugged specs) or third-party software (add costs, inferior performance)
- Lacks 8GB RAM option (4GB max) – less future proof
- Less rugged drop spec out of the box: 4 ft./1.2 m drops **to tile** over concrete
- Lower capacity battery and no hot swap support
- Voice solutions require third-party application (needs testing and validation)
- Limited accessory ecosystem – most accessories are from third party vendors

Key strengths

- Lighter and thinner (although barcode scanning is not included out of the box; a scanning sled will add weight and bulk)
- Higher resolution display
- IP68 sealing
- Expansion card slot



Apple iPad Mini

Key weaknesses

- Shorter device and support lifecycle – customers may need to juggle a more complex mixed model deployment
- No software ecosystem – Apple does not offer any kind of software ecosystem like Mobility DNA
- Inferior Wi-Fi – no MU-MIMO, consumer Wi-Fi radio
- No CBRS support
- No integrated scan engine – customers must either purchase a third-party sled (adds cost and bulk, lowers rugged specs) or third-party software (add costs, inferior performance)
- No rugged specs out of the box – customers must buy a third-party rugged case (adds cost and bulk)
- Battery is not removable – devices must be taken out of service to charge
- Lacks 8GB RAM option (4GB only) – less future proof
- No programmable keys for easy access to key features/applications
- Voice solutions require third-party application (needs testing and validation)
- Limited accessory ecosystem – most accessories are from third party vendors

Key strengths

- Lighter and thinner (although does not include barcode scanning or ruggedness out of the box; scanning sled and rugged case will add weight and bulk)
- Higher resolution display



Honeywell ScanPal EDA71

Key weaknesses

- Older Android version (10) and inferior roadmap support
- No software ecosystem – not compatible with Honeywell's Mobility Edge
- 84% thicker and 13% heavier
- Inferior wireless – no 5G, no Wi-Fi 6, no MU-MIMO, no CBRS, older BT standard
- Lacks 8GB RAM option (4GB only) – less future proof
- FlexRange imager has less range than Zebra's SE55; Honeywell's red laser aimer is harder to see
- No front-facing camera for video calls
- No hot swap support
- No programmable keys for easy access to key features/applications
- Voice solutions require third-party application (needs testing and validation)
- No Point of Sale solutions

Key strengths

- None identified



Feature Comparisons

Competitive Comparison: Global

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| Feature | Zebra ET40/ET45 8-inch | Samsung Galaxy Tab Active 3 | Apple iPad Mini | Honeywell ScanPal EDA71 | Why it matters |
|--------------------------|---|--|---|---|---|
| |  |  |  |  | |
| Physical Characteristics | | | | | |
| Thickness | 0.45 in./11.4 mm | 0.39 in./9.9 mm | 0.25 in./6.3 mm | 0.83 in./21 mm | While the ET40/ET45 is not thinner or lighter than consumer tablets, it is lightweight, easy to carry and offers all the sleekness of a consumer device. It's important to note that Samsung and Apple tablets do not include an integrated scan engine and Apple offers no ruggedness without a protective case – adding a third-party scanning sled or case will significantly increase the overall weight and bulk of the solution. An Apple/Samsung tablet may be sleek out of the box, but becomes bulky once it's made enterprise ready. |
| Weight | 1.07 lbs/485 g | 15.09 oz./427.8 g | 10.48 oz./297 g | 19.40 oz./550 g | |
| Display | 8 in. WXGA (1280 x 800) 500 NITs | 8 in. WQXGA (1920 x 1200) 480-700 NITs | 8.3 in. Retina (2266 x 1488) 500 NITs | 7 in. (1280 x 720) | While not a competitive advantage compared with consumer devices, the ET40/ET45's display is bright and crisp enough for easy viewing indoors and outside. |
| Programmable buttons | Three | One | No | No | Three programmable buttons provide instant access to commonly used applications or device features – making workflows more efficient. |




Competitive Comparison: Global

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| Feature | Zebra ET40/ET45 8-inch | Samsung Galaxy Tab Active 3 | Apple iPad Mini | Honeywell ScanPal EDA71 | Why it matters |
|-------------------------------|--|--|---|---|--|
| |  |  |  |  | |
| Wireless Communication | | | | | |
| Wi-Fi | WiFi-6 (802.11 ax) 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax 2x2 MU-MIMO; Wi-Fi™ certified | WiFi-6 (802.11 ax) 802.11a/b/g/n/ac/ax MIMO | WiFi-6 (802.11ax) MIMO | WiFi-5 (802.11ac) 802.11 a/b/g/n/ac 2x2 MIMO | <p>The ET40/ET45, iPad Mini and Galaxy Tab Active 3 all support Wi-Fi 6. However, the ET40/ET45 offers several key advantages:</p> <ul style="list-style-type: none"> • Only device to support 2x2 Mu-MIMO, which boosts Wi-Fi network capacity, speed and range • The ET40/ET45 supports more Wi-Fi protocols such as 802.11mc for locationing applications • Zebra offers superior Wi-Fi radio firmware that takes the quality and reliability of Wi-Fi connections to a new level (requires optional Mobility DNA Enterprise); with Samsung and Apple you get a consumer Wi-Fi radio |
| Cellular | 5G (ET45; data only) | 4G LTE | 5G | 4G LTE | Only ET45 and iPad Mini support 5G — giving workers access to faster cellular speeds and providing a more future-proof platform. |





Competitive Comparison: Global

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| Feature | Zebra ET40/ET45 8-inch | Samsung Galaxy Tab Active 3 | Apple iPad Mini | Honeywell ScanPal EDA71 | Why it matters |
|------------------------------------|---|--|---|---|--|
| |  |  |  |  | |
| Wireless Communication (continued) | | | | | |
| CBRS | Yes (ET45) | No | No | No | <i>Relevant for US only:</i> The ET45 can connect to private LTE CBRS networks in the U.S, enabling cost-effective wireless connectivity in large indoor and outdoor facilities. |
| Bluetooth | BT 5.1 | BT 5.0 | BT 5.0 Secondary Bluetooth Low Energy (BLE) for beaconing | BT 4.2 | The ET40/ET45 supports a newer Bluetooth standard than Samsung and Apple. Note that ScanPal EDA71 supports a significantly older standard which results in inferior BT speeds and range. |
| GPS | A-GPS, Galileo, GNSS, BeiDou (ET45) | A-GPS, Galileo, GNSS, BeiDou | A-GPS, GNSS (WAN SKUs only) | A-GPS, Galileo, GNSS, BeiDou | The ET45 offers comprehensive GPS support for global deployments. |

Competitive Comparison: Global

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| Feature | Zebra ET40/ET45 8-inch | Samsung Galaxy Tab Active 3 | Apple iPad Mini | Honeywell ScanPal EDA71 | Why it matters |
|------------------|--|--|---|---|---|
| |  |  |  |  | |
| Data Capture | | | | | |
| Barcode Scanning | Integrated Choice of: SE4100 1D/2D SE4710 1D/2D SE55 1D/2D Advanced Range Scan Engine with IntelliFocus™ technology (Premium) | No integrated enterprise scan engine option | No integrated enterprise scan engine option | Integrated Choice of: N3601 or N6703 Flex Range | <p>These line of business tablets do not offer an integrated scan engine. Customers either need to purchase a third-party scanning sled (adds cost, lowers rugged specs and is more difficult to manage) or rely on the camera for barcode scanning (requires software license, inferior performance, particularly with challenging barcodes).</p> <p>Zebra's SE55 is superior to Honeywell's FlexRange imager in terms of expected working range and performance trigger to beep time. Zebra's green laser aimer is 7x more visible than Honeywell's red aiming, making it easier to scan from distances and in challenging lighting conditions.</p> |

Competitive Comparison: Global

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| Feature | Zebra ET40/ET45 8-inch | Samsung Galaxy Tab Active 3 | Apple iPad Mini | Honeywell ScanPal EDA71 | Why it matters |
|--------------------------|---|--|---|---|---|
| |  |  |  |  | |
| Data Capture (continued) | | | | | |
| Rear Camera | 13MP | 13MP | 12MP | 13MP | A 13MP rear camera can capture highly detailed photos and videos for proof of service, proof of condition, proof of compliance and more. |
| Front Camera | 5MP | 5MP | 12MP | No | A 5 MP front camera offers more than enough resolution and detail for video calling. There's no known enterprise use case that requires more than 5MP resolution for the front-facing camera. |




Competitive Comparison: Global

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| Feature | Zebra ET40/ET45 8-inch | Samsung Galaxy Tab Active 3 | Apple iPad Mini | Honeywell ScanPal EDA71 | Why it matters |
|-----------------------------|---|--|---|---|--|
| |  |  |  |  | |
| Performance Characteristics | | | | | |
| Operating System | Android 11 upgradeable through Android 14 | Android 10 | iPadOS 15 | Android 10, published support through Android 10 only | Zebra's superior Android roadmap extends device lifecycle. |
| Processor | Octa-core QC 6375 2x 2.2 GHz + 6x 1.8 GHz | Octa-Core Exynos 9810 4x 2.7 GHz + 4x 1.7 GHz | Quad Core A15 Bionic | Octa-Core QC SDM450 1.8 GHz | The ET40/ET45 provides enough processing power for demanding enterprise applications. |
| Memory | 4GB or 8GB | 4GB | 4GB | 2GB or 4GB | Only the ET40/ET45 offers an 8GB option; with higher RAM it's able to support future upgrades and memory intensive applications with ease. |
| Storage | 64GB or 128GB UFS Flash | 64GB or 128GB | 64GB or 256GB | 32GB or 64GB | UFS (Universal Flash Storage) improves performance and battery consumption. UFS speeds up any task requiring memory access. |
| Expandable Storage | No | microSDXC up to 1 TB | No | MicroSD up to 128GB | The ET40/ET45 does not offer a user accessible expansion slot. |




Competitive Comparison: Global

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| Feature | Zebra ET40/ET45 8-inch | Samsung Galaxy Tab Active 3 | Apple iPad Mini | Honeywell ScanPal EDA71 | Why it matters |
|-----------------------------|--|--|---|---|---|
| |  |  |  |  | |
| Environmental | | | | | |
| Drop Specification | Standard: 4 ft./1.2 m to concrete With optional rugged boot: 5.1 ft./1.5 m to concrete MIL-STD-810H | Standard: 4 ft./1.2 m to tile over concrete With optional exoskeleton: 5.1 ft./1.5 m to tile over concrete MIL-STD-810H | No drop spec without third-party rugged case | 4 ft./1.2 m to concrete at room temp. | The ET40/ET45 passes a more stringent drop test than the Galaxy Tab Active 3: drops to concrete vs. tile over concrete. iPad Mini has no rugged drop spec out of the box. |
| Sealing | IP65 | IP68 | No sealing rating without third-party rugged case | IP64 | With IP65 sealing, the ET40/ET45 is fully dust tight and protected against jetting water (low pressure wash downs) and rain. Samsung's IP68 sealing protects against submersion in water, which won't be necessary in the majority of use cases and environments. iPad Mini has no sealing rating out of the box. |
| Operating Temperature Range | -4° F to 122° F -20° C to 50° C | Not specified | 32° F to 95° F 0° C to 35° C | 14° F to 122° F -10° C to 50° C | The ET40/ET45 supports the widest published working temperature range; it can be used (or left in a vehicle) in both extreme heat and extreme cold. |

Competitive Comparison: Global

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| Feature | Zebra ET40/ET45 8-inch | Samsung Galaxy Tab Active 3 | Apple iPad Mini | Honeywell ScanPal EDA71 | Why it matters |
|-------------------------|--|--|---|---|--|
| |  |  |  |  | |
| Power | | | | | |
| Battery Capacity | 6100 mAh Removable | 5050 mAh Removable | 5124 mAh NOT removable | Standard: 4000 mAh Extended: 8850 mAh Removable | The ET40/ET45 offers the highest capacity standard battery in this group. While it doesn't have an extended battery option, its hot-swappable secondary battery provides around-the-clock power. Since the iPad Mini's battery is not removable, devices must be taken out of service to charge when the battery is low or dead. |
| Hot Swap | Yes Optional hot swappable 3400 mAh secondary battery, for use with expansion back accessory | No | No | No | Only the ET40/ET45 offers hot swap capability – ideal for supporting multiple shifts with one device. |
| Fast Charge | Yes | Yes | Yes | No | Fast charging support protects productivity as devices are ready to go in less time. |
| Battery Metrics | Yes PowerPrecision | No | No | No | Zebra offers the most comprehensive collection of real-time battery metrics for better battery management. |

Competitive Comparison: Global




In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| Feature | Zebra ET40/ET45 8-inch | Samsung Galaxy Tab Active 3 | Apple iPad Mini | Honeywell ScanPal EDA71 | Why it matters |
|--------------------------|--|--|---|---|--|
| |  |  |  |  | |
| Voice Solutions | | | | | |
| PTT over WLAN | Yes, supported with optional PTT Express*; Ready-to-use and tested | Requires third-party application | Requires third-party application | No | The ET40/ET45 offers Zebra's Push-to-Talk PTT Express for instant PTT walkie-talkie style calls inside the four walls. Not only does it work right out of the box, since it's a Zebra application, Zebra can provide superior technical support. |
| PTT over Cellular | Yes, supported with optional PTT Pro*; Ready-to-use and tested | Requires third-party application | Requires third-party application | No | The ET40/ET45 offers optional Workforce Connect PTT Pro subscription service for walkie talkie-style communications over cellular and Wi-Fi networks. |
| PBX handset | Yes, supported with optional Workforce Connect Voice*; fully customizable interface makes it easy for workers to use complex advanced telephony features | No | No | No | Without a comparable solution to Workforce Connect Voice, competitive devices require customers to purchase and maintain separate PBX handsets for PBX communications. |

* Workforce Connect available Q4 2022.





Competitive Comparison: Global

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| Feature | Zebra ET40/ET45 8-inch | Samsung Galaxy Tab Active 3 | Apple iPad Mini | Honeywell ScanPal EDA71 | Why it matters |
|-----------------------|---|--|---|---|--|
| |  |  |  |  | |
| Software | | | | | |
| Software Ecosystem | Mobility DNA Professional Mobility DNA Enterprise (optional) | Limited, and many software tools are proprietary unlike Zebra's standard-based approach | No | No, Not compatible with Honeywell's Mobility Edge | No other vendor offers such a comprehensive ecosystem of software to support rugged Android devices in the enterprise. Zebra has invested more than \$300 million in Mobility DNA and continues to invest, refining tools through multiple OS versions and thousands of deployments. Our time-tested expertise offers customers unique value with built-in utilities, applications and end-to-end enterprise solutions. |

Competitive Comparison: Global

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| Feature | Zebra ET40/ET45 8-inch | Samsung Galaxy Tab Active 3 | Apple iPad Mini | Honeywell ScanPal EDA71 | Why it matters |
|-----------------------------|--|--|--|--|--|
| |  |  |  |  | |
| Accessories | | | | | |
| Charging accessories | Multi-slot charge cradles Multi-slot battery chargers Desktop charge cradle Wall chargers | USB-C charger Other charging accessories may be available through third-party vendors | USB-C charger Other charging accessories may be available through third-party vendors | Multi-slot charge cradles Multi-slot battery chargers Desktop charge cradle Wall chargers | The ET40/ET45 offers a comprehensive range of charging accessories, from low cost single slot charge only or communication cradles to multi-slot charge and communication cradles to simplify the backroom. Unlike line of business tablets, the ET40/ET45's charging accessories are developed, sold and supported by Zebra |
| Rugged accessories | Rugged boot increases drop spec to 5 ft./1.5 m | Available through third-party vendors | Available through third-party vendors | No | Unlike line of business tablets, the ET40/ET45's rugged boot is developed, sold and supported by Zebra. |
| POS accessories | Point of Sale hub* Presentation stand* | Available through third-party vendors | Available through third-party vendors | No | Only Zebra offers a complete, single vendor solution for Point of Sale applications. |
| Other accessories | Workstation cradle Hand straps Stylus VESA Mount adapter | Book covers S Pen USB-C headphone jack adapter | Folio covers Apple Pen | Hand straps Rotating hand strap Shoulder strap RAM mount | Zebra offers a comprehensive enterprise-class accessory ecosystem – all developed, sold and supported by Zebra. |

* POS Hub and Presentation stand available 2H 2022

8-inch Regional Competitors

Fight Sheets

NA/LA: Sonim R80

Key weaknesses

- Older Android version (10); doesn't publish roadmap
- No software ecosystem – Sonim does not offer any kind of software ecosystem comparable to Mobility DNA
- 31% thicker and 39% heavier
- Inferior wireless – no 5G, no Wi-Fi 6, no MU-MIMO, no CBRS, older BT standard
- Lacks 8GB RAM option (4GB max) – less future proof
- No advanced range scanning option
- Does not publish specifics of drop testing
- No hot swap support
- Voice solutions require third-party application (needs testing and validation)
- No high density charging solutions; no Point of Sale solutions

Key strengths

- Higher resolution display



EMEA: Crosscall Core T4

Key weaknesses

- Older Android version (9); doesn't publish roadmap
- No software ecosystem – Crosscall does not offer any kind of software ecosystem comparable to Mobility DNA
- 23% thicker and 26% heavier
- Inferior wireless – no 5G, no Wi-Fi 6, no MU-MIMO, no CBRS, older BT standard
- No integrated scan engine – customers must either purchase a third-party sled (adds cost and bulk, lowers rugged specs) or third-party software (add costs, inferior performance)
- Lacks 8GB RAM option (3GB max) – less future proof
- Does not publish specifics of drop testing
- Battery is not removable, but you can add a power bank to the back for additional power
- Voice solutions require third-party application (needs testing and validation)
- No high density charging solutions; no Point of Sale solutions

Key strengths

- 5 ft./1.5 m drop spec out of the box; IP68 sealing



APAC/LA: Chainway P80 Industrial

Key weaknesses

- Older Android version (9); doesn't publish roadmap
- No software ecosystem – Chainway does not offer any kind of software ecosystem comparable to Mobility DNA
- 31% thicker and 44% heavier
- Inferior wireless – no 5G, no Wi-Fi 6, no MU-MIMO, no CBRS, older BT standard
- Lacks 8GB RAM option (4GB max) – less future proof
- Battery is not removable – devices must be taken out of service to charge
- Voice solutions require third-party application (needs testing and validation)
- No high density charging solutions; no Point of Sale solutions

Key strengths





- 5 ft./1.5 m drop spec out of the box



Feature Comparisons





Competitive Comparison: Regional 8-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| Feature | Zebra ET40/ET45 8-inch | NA/LA | EMEA | APAC/LA | Why it matters |
|--------------------------|---|--|---|---|--|
| | | Sonim R80 | Crosscall Core T4 | Chainway P80 Industrial | |
| |  |  |  |  | |
| Physical Characteristics | | | | | |
| Thickness | 0.45 in./11.4 mm | 0.59 in./15 mm | 0.55 in./14 mm | 0.59 in./15 mm | The ET40/ET45 is thinner and lighter than these regional competitors — it's easy to carry, comfortable to hold and offers the sleek styling of consumer devices. |
| Weight | 1.07 lbs/485 g | 1.48 lbs/673 g | 1.34 lbs/610 g | 1.54 lbs/700 g | |
| Display | 8 in. WXGA 1280 x 800 500 NITs | 8 in. 1920 x 1200 | 8 in. WXGA 1280 x 800 500 NITs | 8 in. Standard:1280 x 800 Optional: 1920 x 1200 | While not a competitive advantage, the ET40/ET45's display is bright and crisp enough for easy viewing indoors and outside. |
| Programmable buttons | Three | Two | Two | No | Three programmable buttons provide instant access to commonly used applications or device features — making workflows more efficient. |

Competitive Comparison: Regional 8-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| | | NA/LA | EMEA | APAC/LA | |
|-------------------------|--|--|---|---|---|
| Feature | Zebra ET40/ET45 8-inch | Sonim R80 | Crosscall Core T4 | Chainway P80 Industrial | Why it matters |
| |  |  |  |  | |
| Wireless Communications | | | | | |
| Wi-Fi | WiFi-6 (802.11 ax) 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax 2x2 MU-MIMO; Wi-Fi™ certified | WiFi-5 (802.11ac) 802.11a/b/g/n/ac/e/i/r | WiFi-5 (802.11ac) 802.11 a/b/g/n/ac | WiFi-5 (802.11ac) 802.11 a/b/g/n/ac/d/e/h/i/k/r/v | <p>The ET40/ET45 offers superior Wi-Fi connectivity:</p> <ul style="list-style-type: none"> Only device in this group to support Wi-Fi 6, which offers higher throughput and lower latency Only device to support 2x2 Mu-MIMO, which boosts Wi-Fi network capacity, speed and range Supports more Wi-Fi protocols such as 802.11mc for locationing applications Zebra offers superior Wi-Fi radio firmware that takes the quality and reliability of Wi-Fi connections to a new level (requires optional Mobility DNA Enterprise) |
| Cellular | 5G (ET45, data only) | 4G LTE | 4G LTE | 4G LTE | Only the ET45 supports 5G — giving workers access to faster cellular speeds and providing a more future-proof platform. |



Competitive Comparison: Regional 8-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| | | NA/LA | EMEA | APAC/LA | |
|-------------------------------------|---|--|---|---|---|
| Feature | Zebra ET40/ET45 8-inch | Sonim R80 | Crosscall Core T4 | Chainway P80 Industrial | Why it matters |
| |  |  |  |  | |
| Wireless Communications (continued) | | | | | |
| CBRS | Yes (ET45) | No | No | No | <i>Relevant for US only:</i> The ET45 can connect to private LTE CBRS networks in the U.S, enabling cost-effective wireless connectivity in large indoor and outdoor facilities. |
| Bluetooth | BT 5.1 | BT 4.2 BLE | BT 4.2 | BT 4.2 | These regional competitors support a significantly older standard which results in inferior BT speeds and range. |
| GPS | A-GPS, Galileo, GNSS, BeiDou (ET45) | A-GPS, Galileo, GNSS, BeiDou | A-GPS, Galileo, GNSS, BeiDou | A-GPS, Galileo, Glonass, BeiDou | The ET45 offers comprehensive GPS support for global deployments. |

Competitive Comparison: Regional 8-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| | | NA/LA | EMEA | APAC/LA | |
|------------------|---|--|---|--|---|
| Feature | Zebra ET40/ET45 8-inch | Sonim R80 | Crosscall Core T4 | Chainway P80 Industrial | Why it matters |
| |  |  |  |  | |
| Data Capture | | | | | |
| Barcode Scanning | Integrated Choice of: SE4100 1D/2D SE4710 1D/2D SE55 1D/2D Advanced Range Scan Engine with IntelliFocus™ technology (Premium) | Integrated 1D/2D | No | Integrated Choice of: Zebra SE4710 1D/2D SE4850 1D/2D Extended Range Scan Engine with IntelliFocus technology | While Chainway OEMs Zebra scan engines, the ET40/ET45 supports the newer SE55 Advanced Range engine for premium performance. Crosscall does not offer an integrated scan engine. Customers either need to purchase a third-party scanning sled (adds cost and bulk, lowers rugged specs and is more difficult to manage) or rely on the camera for barcode scanning (requires software license, inferior performance). |
| Rear Camera | 13MP | 13MP | 13MP | 13MP | A 13MP rear camera can capture highly detailed photos and videos for proof of service, proof of condition, proof of compliance and more. |
| Front Camera | 5MP | 5MP | 5MP | 5MP | A 5 MP front camera offers more than enough resolution and detail for video calling. |

Competitive Comparison: Regional 8-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| | | NA/LA | EMEA | APAC/LA | |
|---------|---|--|---|---|----------------|
| Feature | Zebra ET40/ET45 8-inch | Sonim R80 | Crosscall Core T4 | Chainway P80 Industrial | Why it matters |
| |  |  |  |  | |

Performance Characteristics

| | | | | | |
|--------------------|--|-------------------------------------|-------------------------------|----------------------|--|
| Operating System | Android 11 upgradeable through Android 14 | Android 10 | Android 9 | Android 9 | Zebra's superior Android roadmap extends device lifecycle. |
| Processor | Octa-core QC 6375 2x 2.2 GHz + 6x 1.8 GHz | Octa-core QC MSM8953 Pro 2.2 GHz | Octa-core QC SD450 1.8 GHZ | Octa-core QC 1.8 GHz | The ET40/ET45 provides enough processing power for demanding enterprise applications. |
| Memory | 4GB or 8GB | 4GB | 3GB | 3GB or 4GB | Only the ET40/ET45 offers an 8GB option; with higher RAM it's able to support future upgrades and memory intensive applications with ease. |
| Storage | 64GB or 128GB UFS Flash | 64GB | 32GB | 32GB or 64GB | UFS (Universal Flash Storage) which improves performance and battery consumption. UFS speeds up any task requiring memory access. |
| Expandable Storage | No | MicroSD up to 256GB | MicroSD up to 512GB | MicroSD up to 128GB | The ET40/ET45 does not offer a user accessible expansion slot. |



Competitive Comparison: Regional 8-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| Feature | Zebra ET40/ET45 8-inch | NA/LA | EMEA | APAC/LA | Why it matters |
|------------------------|---|--|---|---|---|
| | | Sonim R80 | Crosscall Core T4 | Chainway P80 Industrial | |
| |  |  |  |  | |
| Environmental | | | | | |
| Drop Spec | Standard: 4 ft./1.2 m to concrete With optional rugged boot: 5.1 ft./1.5 m to concrete MIL-STD-810H | MIL-STD-810G | 5 ft./1.5 m MIL-STD-810G | 5 ft./1.5 m to concrete across the operating temp. range | The ET40/ET45 does not have the highest drop spec of this group out of the box, as it balances rugged design with ergonomics. If a drop specification is important to your customer, position the optional rugged boot which adds a 5 ft./1.5 m drop spec. |
| Sealing | IP65 | IP67 | IP68 | IP65 | With IP65 sealing, the ET40/ET45 is fully dust tight and protected against jetting water (low pressure wash downs) and rain. Crosscall's IP68 sealing protects against submersion in water, which won't be necessary in the majority of use cases and environments. |
| Operating Temp. | -4° F to 122° F -20° C to 50° C | -4° F to 131° F -20° C to 55° C | -13° F to 122° F -25° C to 50° C | -4° F to 122° F -20° C to 50° C | The ET40/ET45 can be used (or left in a vehicle) in both extreme heat and extreme cold. |

Competitive Comparison: Regional 8-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| | | NA/LA | EMEA | APAC/LA | |
|------------------|---|--|---|---|---|
| Feature | Zebra ET40/ET45 8-inch | Sonim R80 | Crosscall Core T4 | Chainway P80 Industrial | Why it matters |
| |  |  |  |  | |
| Power | | | | | |
| Battery Capacity | 6100 mAh Removable | 8200 mAh Removable | 7000 mAh NOT removable | 8000 mAh NOT removable | While the ET40/ET45 does not offer the highest capacity battery, you can add the optional hot-swappable secondary battery. This gives users the best of both worlds: low device weight out of the box and extended power when needed. |
| Hot Swap | Yes Optional hot swappable 3400 mAh secondary battery, for use with expansion back accessory | No | No hot swap, but you can add a 6000 mAh X-POWER bank to the back of the device for additional power | No | Only the ET40/ET45 offers hot swap capability – ideal for supporting multiple shifts with one device. |
| Fast Charge | Yes | Yes | Not specified | Yes | Fast charging support protects productivity as devices are ready to go in less time. |
| Battery Metrics | Yes PowerPrecision | No | No | No | Zebra offers the most comprehensive collection of real-time battery metrics for better battery management. |

Competitive Comparison: Regional 8-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| | | NA/LA | EMEA | APAC/LA | |
|---------|---|--|---|---|----------------|
| Feature | Zebra ET40/ET45 8-inch | Sonim R80 | Crosscall Core T4 | Chainway P80 Industrial | Why it matters |
| |  |  |  |  | |

Voice Solutions

| | | | | | |
|--------------------------|--|-------------------------------------|----------------------------------|----------------------------------|--|
| PTT over WLAN | Yes, supported with optional PTT Express*; Ready-to-use and tested | Future support via software release | Requires third-party application | Requires third-party application | The ET40/ET45 offers Zebra's Push-to-Talk PTT Express for instant PTT walkie-talkie style calls inside the four walls. Not only does it work right out of the box, since it's a Zebra application, Zebra can provide superior technical support. |
| PTT over Cellular | Yes, supported with optional PTT Pro*; Ready-to-use and tested | Requires third-party application | Requires third-party application | Requires third-party application | The ET40/ET45 offers optional Workforce Connect PTT Pro subscription service for walkie talkie-style communications over cellular and Wi-Fi networks. |
| PBX handset | Yes, supported with optional Workforce Connect Voice*; fully customizable interface makes it easy for workers to use complex advanced telephony features | No | No | No | Without a comparable solution to Workforce Connect Voice, competitive devices require customers to purchase and maintain separate PBX handsets for PBX communications. |

* Workforce Connect available Q4 2022.





Competitive Comparison: Regional 8-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| | | NA/LA | EMEA | APAC/LA | |
|--------------------|---|--|---|---|--|
| Feature | Zebra ET40/ET45 8-inch | Sonim R80 | Crosscall Core T4 | Chainway P80 Industrial | Why it matters |
| |  |  |  |  | |
| Software | | | | | |
| Software Ecosystem | Mobility DNA Professional Mobility DNA Enterprise (optional) | No | No | No | No other vendor offers such a comprehensive ecosystem of software to support rugged Android devices in the enterprise. Zebra has invested more than \$300 million in Mobility DNA and continues to invest, refining tools through multiple OS versions and thousands of deployments. Our time-tested expertise offers customers unique value with built-in utilities, applications and end-to-end enterprise solutions. |

Competitive Comparison: Regional 8-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| | | NA/LA | EMEA | APAC/LA | |
|-----------------------------|---|--|---|---|---|
| Feature | Zebra ET40/ET45 8-inch | Sonim R80 | Crosscall Core T4 | Chainway P80 Industrial | Why it matters |
| |  |  |  |  | |
| Accessories | | | | | |
| Charging accessories | Multi-slot charge cradle Multi-slot battery charger Desktop charge cradle Wall charger | Desktop charge cradle Wall charger Dual battery charger | Wall charger Desktop charge cradle | Desktop charge cradle | Only Zebra offers high density device and battery chargers to simplify backroom device management. |
| Rugged accessories | Rugged boot increases drop spec to 5 ft./1.5 m | No | Screen protector | Rugged rubber boot | The ET40/ET45 offers an optional rugged boot for added durability. |
| POS accessories | Point of Sale hub* Presentation stand* | No | No | No | Only Zebra offers a complete, single vendor solution for Point of Sale applications. |
| Other accessories | Workstation cradle Hand straps Stylus VESA Mount adapter | Handstrap | Handstrap Holster | Pistol grip Handstrap | Zebra offers a comprehensive enterprise-class accessory ecosystem – all developed, sold and supported by Zebra. |

* POS Hub and Presentation stand available Q3 2022

10-inch Competitors

Fight Sheets

Samsung Tab Active Pro 10-inch

Key weaknesses

- Shorter device and support lifecycle – customers may need to juggle a more complex mixed model deployment
- Inferior software ecosystem – Samsung's software ecosystem is significantly limited compared with Mobility DNA
- Inferior wireless – no 5G, no Wi-Fi 6, consumer Wi-Fi radio
- No integrated scan engine – customers must either purchase a third-party sled (adds cost and bulk, lowers rugged specs) or third-party software (add costs, inferior performance)
- Lacks 8GB RAM option (4GB max) – less future proof
- Voice solutions require third-party application (needs testing and validation)
- Limited accessory ecosystem – most accessories are from third party vendors

Key strengths

- Lighter and thinner (although barcode scanning is not included out of the box; a scanning sled will add weight and bulk)
- IP68 sealing
- Expansion card slot



Apple iPad 10-inch

Key weaknesses

- Shorter device and support lifecycle – customers may need to juggle a more complex mixed model deployment
- No software ecosystem – Apple does not offer any kind of software ecosystem like Mobility DNA
- Inferior wireless – no 5G, no Wi-Fi 6, consumer Wi-Fi radio
- No integrated scan engine – customers must either purchase a third-party sled (adds cost and bulk, lowers rugged specs) or third-party software (add costs, inferior performance)
- No rugged specs out of the box – customers must buy a third-party rugged case (adds cost and bulk)
- Battery is not removable – devices must be taken out of service to charge
- Lacks 8GB RAM option (3GB max) – less future proof
- Lower resolution rear camera
- No programmable keys for easy access to key features/applications
- Voice solutions require third-party application (needs testing and validation)
- Limited accessory ecosystem – most accessories are from third party vendors

Key strengths

- Lighter and thinner (although does not include barcode scanning or ruggedness out of the box; scanning sled and rugged case will add weight and bulk)
- Higher resolution display



Honeywell RT10 Android

Key weaknesses

- Older Android version (9) and inferior roadmap support
- Inferior software ecosystem: Mobility Edge is 7 years behind Mobility DNA
- 71% thicker and 74% heavier
- Inferior wireless – no 5G, no Wi-Fi 6, no MU-MIMO, no CBRS
- Lacks 8GB RAM option (4GB max) – less future proof
- FlexRange imager has less range than Zebra's SE55; Honeywell's red laser aimer is harder to see
- Lower capacity standard battery (and extended battery increases weight to over 3 lbs./1.4 kg)
- Voice solutions require third-party application (needs testing and validation)
- No high density charging solutions; no Point of Sale solutions

Key strengths

- Brighter display



Bluebird RT103

Key weaknesses

- Older Android version (10); does not publish Android roadmap
- No software ecosystem – Bluebird does not offer any kind of software ecosystem like Mobility DNA
- 28% thicker and 17% heavier
- Inferior wireless – no 5G, no Wi-Fi 6, no MU-MIMO, no CBRS
- Lower resolution display
- Lacks 8GB RAM option (4GB max) – less future proof
- Barcode scanning requires optional Smart Plug accessory
- No programmable keys for easy access to key features/applications
- Lower sealing (IP54) on Wi-Fi only model
- Voice solutions require third-party application (needs testing and validation)
- No high density charging solutions; no Point of Sale solutions

Key strengths

- None identified



APAC: Honeywell/Huosheng MT10

Key weaknesses

- Android OS and roadmap is not known at this point
- Inferior software ecosystem: Mobility Edge is 7 years behind Mobility DNA (and it is not known if MT10 is on the Mobility Edge platform)
- Inferior wireless – no 5G, no Wi-Fi 6, no MU-MIMO, no CBRS
- Lower resolution display
- Lacks 8GB RAM option (6GB max) – less future proof
- No advanced range scanning option
- Lower drop specification
- No hot swap capability
- Voice solutions require third-party application (needs testing and validation)
- No high density charging solutions; no Point of Sale solutions

Key strengths






- None identified

Photo not available

Feature Comparisons

Competitive Comparison: 10-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| | | GLOBAL | GLOBAL | GLOBAL | GLOBAL | APAC | |
|--------------------------|---|---|--|---|---|-------------------------|---|
| Feature | Zebra ET4x 10-inch | Samsung Tab Active Pro 10 in. | Apple iPad 10.2 in. | Honeywell RT10 Android | Bluebird RT103 | Honeywell/Huosheng MT10 | Why it matters |
| |  |  |  |  |  | Photo not available | |
| Physical Characteristics | | | | | | | |
| Thickness | 0.45 in./11.4 mm | 0.39 in./9.9 mm | 0.29 in./7.5 mm | 0.77 in./19.5 mm | 0.57. in./14.6 mm | 0.49 in./12.5 mm | While the ET40/ET45 is not thinner or lighter than consumer tablets, it is lightweight, easy to carry and offers all the sleekness of a consumer device. It's important to note that Samsung and Apple tablets do not include an integrated scan engine and Apple offers no ruggedness without a protective case – adding a third-party scanning sled or case will significantly increase the overall weight and bulk of the solution. An Apple/Samsung tablet may be sleek out of the box, but becomes bulky once it's made enterprise ready. |
| Weight | 1.52 lbs/690 g | 1.44 lbs/653 g | 1.10 lbs/498 g | 2.65 lbs/1200 g | 1.78 lbs/810 g | 1.40 lbs/635 g | |

Competitive Comparison: 10-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| | | GLOBAL | GLOBAL | GLOBAL | GLOBAL | APAC | |
|--------------------------------------|---|---|--|---|---|-----------------------------|---|
| Feature | Zebra ET4x 10-inch | Samsung Tab Active Pro 10 in. | Apple iPad 10.2 in. | Honeywell RT10 Android | Bluebird RT103 | Honeywell/ Huosheng MT10 | Why it matters |
| |  |  |  |  |  | Photo not available | |
| Physical Characteristics (continued) | | | | | | | |
| Display | 10.1 in. WUXGA 1920 x 1200 500 NITs | 10.1 in. WUXGA 1920 x 1200 550 NITs | 10.2 in. Retina 2160 x 1620 500 NITs | 10.1 in. WUXGA 1920 x 1200 800 NITs | 10.1 in. WXGA 1280 x 800 | 10 in. FHD+ 1920 x 1080 | While not a competitive advantage compared with Apple, the ET40/ET45's display is bright and crisp enough for easy viewing indoors and outside. |
| Program- mable Keys | Three | One | No | Two | No | Not specified | Three programmable buttons provide instant access to commonly used applications or device features – making workflows more efficient. |

Competitive Comparison: 10-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| | | GLOBAL | GLOBAL | GLOBAL | GLOBAL | APAC | |
|---------|---|---|--|---|---|-------------------------|----------------|
| Feature | Zebra ET4x 10-inch | Samsung Tab Active Pro 10 in. | Apple iPad 10.2 in. | Honeywell RT10 Android | Bluebird RT103 | Honeywell/Huosheng MT10 | Why it matters |
| |  |  |  |  |  | Photo not available | |

Wireless Communication

| | | | | | | | |
|-------|--|--|---------------------------|--|-------------------|-------------------|---|
| Wi-Fi | WiFi-6 (802.11 ax) 802.11a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax 2x2 MU-MIMO; Wi-Fi™ certified | WiFi-5 (802.11ac) 802.11 a/b/g/n/ac | WiFi-5 (802.11ac) MIMO | WiFi-5 (802.11ac) 802.11a/b/g/n/ac/d/e/h/i/k/r/w, 2x2 MIMO | WiFi-5 (802.11ac) | WiFi-5 (802.11ac) | <p>The ET40/ET45 offers superior Wi-Fi connectivity:</p> <ul style="list-style-type: none"> • Only device in this group to support Wi-Fi 6, which offers higher throughput and lower latency • Only device to support 2x2 MU-MIMO, which boosts Wi-Fi network capacity, speed and range • Supports more Wi-Fi protocols such as 802.11mc for locationing applications • Zebra offers superior Wi-Fi radio firmware that takes the quality and reliability of Wi-Fi connections to a new level (requires optional Mobility DNA Enterprise) |
|-------|--|--|---------------------------|--|-------------------|-------------------|---|

Competitive Comparison: 10-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.






| | | GLOBAL | GLOBAL | GLOBAL | GLOBAL | APAC | |
|---------|---|---|--|---|---|-------------------------|----------------|
| Feature | Zebra ET4x 10-inch | Samsung Tab Active Pro 10 in. | Apple iPad 10.2 in. | Honeywell RT10 Android | Bluebird RT103 | Honeywell/Huosheng MT10 | Why it matters |
| |  |  |  |  |  | Photo not available | |

Wireless Communication (continued)

| | | | | | | | |
|-----------|-------------------------------------|-------------|--------------------|---------------------------------|------------------------------|------------------------------|---|
| Cellular | 5G (ET45, data only) | 4G LTE | 4G LTE | 4G LTE | 4G LTE | 4G LTE | Only the ET45 supports 5G — giving workers access to faster cellular speeds and providing a more future-proof platform. |
| CBRS | Yes (ET45) | No | No | No | No | No | <i>Relevant for US only:</i> The ET45 can connect to private LTE CBRS networks in the U.S, enabling cost-effective wireless connectivity in large indoor and outdoor facilities. |
| Bluetooth | BT 5.1 | BT 5.0 | BT 4.2 with Beacon | BT 5.0 | BT 5.0 | BT 5.0 | The ET40/ET45 supports a newer Bluetooth standard. |
| GPS | A-GPS, Galileo, GNSS, BeiDou (ET45) | A-GPS, GNSS | A-GPS, GNSS | A-GPS, Galileo, GLONASS, BeiDou | A-GPS, Galileo, GNSS, BeiDou | A-GPS, Galileo, GNSS, BeiDou | The ET45 offers comprehensive GPS support for global deployments. |






Competitive Comparison: 10-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| | | GLOBAL | GLOBAL | GLOBAL | GLOBAL | APAC | |
|------------------|--|---|--|---|---|---|--|
| Feature | Zebra ET4x 10-inch | Samsung Tab Active Pro 10 in. | Apple iPad 10.2 in. | Honeywell RT10 Android | Bluebird RT103 | Honeywell/Huosheng MT10 | Why it matters |
| |  |  |  |  |  | Photo not available | |
| Data Capture | | | | | | | |
| Barcode Scanning | Integrated Choice of: SE4100 1D/2D SE4710 1D/2D SE55 1D/2D Advanced Range Scan Engine with IntelliFocus™ technology (Premium) | No integrated enterprise scan engine option | No integrated enterprise scan engine option | Integrated Choice of: N6703 Standard Range or Honeywell FlexRange | NOT integrated Requires Smart Plug accessory | Integrated enterprise-class N4603 / HS7 | <p>Samsung and Apple do not offer an integrated scan engine. Customers either need to purchase a third-party scanning sled (adds cost, lowers rugged specs and is more difficult to manage) or rely on the camera for barcode scanning (requires software license, inferior performance, particularly with challenging barcodes).</p> <p>Zebra's SE55 is superior to Honeywell's FlexRange imager in terms of expected working range and performance trigger to beep time. Zebra's green laser aimer is 7x more visible than Honeywell's red aiming, making it easier to scan from distances and in challenging lighting conditions.</p> |

Competitive Comparison: 10-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| | | GLOBAL | GLOBAL | GLOBAL | GLOBAL | APAC | |
|--------------------------|---|---|--|---|---|-------------------------|---|
| Feature | Zebra ET4x 10-inch | Samsung Tab Active Pro 10 in. | Apple iPad 10.2 in. | Honeywell RT10 Android | Bluebird RT103 | Honeywell/Huosheng MT10 | Why it matters |
| |  |  |  |  |  | Photo not available | |
| Data Capture (continued) | | | | | | | |
| Rear Camera | 13 MP | 13 MP | 8 MP | 13 MP | 13 MP (optional) | 13 MP | A 13 MP rear camera can capture highly detailed photos and videos for proof of service, proof of condition, proof of compliance and more. |
| Front Camera | 5 MP | 8 MP | 12 MP | 8 MP | 5 MP (optional) | 5 MP | A 5 MP front camera offers more than enough resolution and detail for video calling. There's no known enterprise use case that requires more than 5 MP resolution for the front-facing camera |






Competitive Comparison: 10-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| | | GLOBAL | GLOBAL | GLOBAL | GLOBAL | APAC | |
|-----------------------------|---|---|--|---|---|-------------------------|--|
| Feature | Zebra ET4x 10-inch | Samsung Tab Active Pro 10 in. | Apple iPad 10.2 in. | Honeywell RT10 Android | Bluebird RT103 | Honeywell/Huosheng MT10 | Why it matters |
| |  |  |  |  |  | Photo not available | |
| Performance Characteristics | | | | | | | |
| Operating System | Android 11 upgradeable through Android 14 | Android 10 | iPadOS 15 | Android 9 upgradeable through Android 11 | Android 10 | Not specified | Zebra's superior Android roadmap extends device lifecycle. |
| Processor | Octa-core QC 6375 2x 2.2 GHz + 6x 1.8 GHz | Octa-core QC SDM670, 2 GHz, 1.7 GHz | Quad-core A13 Bionic | Octa-core QC Snapdragon 2.2 GHz | Octa-core 1.8 GHz | Octa-core MTK G85 | The ET40/ET45 provides enough processing power for demanding enterprise applications. |
| Memory | 4GB or 8GB | 4GB | 3GB | 4GB | 3GB or 4GB | 4GB or 6GB | Only the ET40/ET45 offers an 8GB option; with higher RAM it's able to support future upgrades and memory intensive applications with ease. |
| Storage | 64GB or 128GB UFS Flash | 64GB | 64GB or 256GB | 32GB | 32GB or 64GB | 64GB or 128GB | UFS (Universal Flash Storage) improves performance and battery consumption. |
| Expandable Storage | No | microSD up to 512GB | No | microSD up to 512GB | microSD up to 2TB | microSD up to 128GB | The ET40/ET45 does not offer a user accessible expansion slot. |






Competitive Comparison: 10-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| | | GLOBAL | GLOBAL | GLOBAL | GLOBAL | APAC | |
|-----------------|---|---|--|---|---|------------------------------------|---|
| Feature | Zebra ET4x 10-inch | Samsung Tab Active Pro 10 in. | Apple iPad 10.2 in. | Honeywell RT10 Android | Bluebird RT103 | Honeywell/Huosheng MT10 | Why it matters |
| |  |  |  |  |  | Photo not available | |
| Environmental | | | | | | | |
| Drop Spec | Standard: 4 ft./1.2 m to concrete With optional rugged boot: 5 ft./1.5 m to concrete MIL-STD-810H | With cover: 4 ft./1.2 m to plywood over concrete MIL-STD-810G | No | 4 ft./1.2 m to concrete MIL-STD-810G | Standard: 4 ft./1.2 m With exoskeleton: 5 ft./1.5 m MIL-STD-810G | 3.2 ft./1 m MIL-STD-810H | The ET40/ET45 passes a more stringent drop test than Samsung: drops to concrete vs. plywood over concrete. Note that the ET40/ET45 has the same out-of-the-box drop specs as Honeywell and Bluebird – devices that are significantly thicker and heavier! |
| Sealing | IP65 | IP68 | No | IP65 | IP54 (WLAN only), IP65 (WWAN devices) | IP65 | With IP65 sealing, the ET40/ET45 is fully dust tight and protected against jetting water (low pressure wash downs) and rain. Samsung's IP68 sealing protects against submersion in water, which won't be necessary in a majority of use cases/environments. |
| Operating Temp. | -4° F to 122° F -20° C to 50° C | Not specified | 32° F to 95° F 0° C to 35° C | 14° F to 122° F -10° C to 50° C | -4° F to 122° F -20° C to 50° C | -4° F to 140° F -20° C to 60° C | The ET40/ET45 can be used (or left in a vehicle) in both extreme heat and extreme cold. |






Competitive Comparison: 10-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| | | GLOBAL | GLOBAL | GLOBAL | GLOBAL | APAC | |
|-------------------------|---|---|--|---|---|-------------------------|---|
| Feature | Zebra ET4x 10-inch | Samsung Tab Active Pro 10 in. | Apple iPad 10.2 in. | Honeywell RT10 Android | Bluebird RT103 | Honeywell/Huosheng MT10 | Why it matters |
| |  |  |  |  |  | Photo not available | |
| Power | | | | | | | |
| Battery Capacity | 7600 mAh, Removable | 7600 mAh, Removable | 8827 mAh, NOT removable | Standard: 5140 mAh Extended: 10280 mAh | 6000 mAh, Removable | 8000 mAh | <p>The ET40/ET45 offers a great balance between battery capacity and device weight.</p> <p>Apple's battery is not removable, so devices must be taken out of service to charge (and cannot support back-to-back shifts).</p> <p>While Honeywell RT10A has a very large extended capacity option, device weight is over 3 lbs./1.4 kg.</p> |
| Hot Swap | Yes Optional hot swappable 3400 mAh secondary battery, for use with expansion back accessory | No | No | Yes | Yes | No | Hot swap capability provides constant power – ideal for supporting multiple shifts with one device. |

Competitive Comparison: 10-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| Feature | Zebra ET4x 10-inch | GLOBAL | GLOBAL | GLOBAL | GLOBAL | APAC | Why it matters |
|-------------------|---|---|--|---|---|----------------------------------|--|
| | | Samsung Tab Active Pro 10 in. | Apple iPad 10.2 in. | Honeywell RT10 Android | Bluebird RT103 | Honeywell/ Huosheng MT10 | |
| |  |  |  |  |  | Photo not available | |
| Power (continued) | | | | | | | |
| Fast Charge | Yes | Yes | Yes | No | No | No | Fast charging support protects productivity as devices are ready to go in less time. |
| Battery Metrics | Yes PowerPrecision | No | No | Limited | No | No | Zebra offers the most comprehensive collection of real-time battery metrics for better battery management. |
| Voice Solutions | | | | | | | |
| PTT over WLAN | Yes, supported with optional PTT Express*; Ready-to-use and tested | Requires third-party application | Requires third-party application | Yes, with Smart Talk | Requires third-party application | Requires third-party application | The ET40/ET45 offers Zebra's Push-to-Talk PTT Express for instant PTT walkie-talkie style calls inside the four walls. Not only does it work right out of the box, since it's a Zebra application, Zebra can provide superior technical support. |

* Workforce Connect available Q4 2022.

Competitive Comparison: 10-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| | | GLOBAL | GLOBAL | GLOBAL | GLOBAL | APAC | |
|---------|---|---|--|---|---|-------------------------|----------------|
| Feature | Zebra ET4x 10-inch | Samsung Tab Active Pro 10 in. | Apple iPad 10.2 in. | Honeywell RT10 Android | Bluebird RT103 | Honeywell/Huosheng MT10 | Why it matters |
| |  |  |  |  |  | Photo not available | |






Voice Solutions (continued)

| | | | | | | | |
|--------------------------|--|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|--|
| PTT over Cellular | Yes, supported with optional PTT Pro*; Ready-to-use and tested | Requires third-party application | Requires third-party application | Requires third-party application | Requires third-party application | Requires third-party application | The ET40/ET45 offers optional Workforce Connect PTT Pro subscription service for walkie talkie-style communications over cellular and Wi-Fi networks. |
| PBX handset | Yes, supported with optional Workforce Connect Voice*; fully customizable interface makes it easy for workers to use complex advanced telephony features | No | No | No | No | No | Without a comparable solution to Workforce Connect Voice, competitive devices require customers to purchase and maintain separate PBX handsets for PBX communications. |

* Workforce Connect available Q4 2022.






Competitive Comparison: 10-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| | | GLOBAL | GLOBAL | GLOBAL | GLOBAL | APAC | |
|--------------------|---|---|--|---|---|-------------------------|--|
| Feature | Zebra ET4x 10-inch | Samsung Tab Active Pro 10 in. | Apple iPad 10.2 in. | Honeywell RT10 Android | Bluebird RT103 | Honeywell/Huosheng MT10 | Why it matters |
| |  |  |  |  |  | Photo not available | |
| Software | | | | | | | |
| Software Ecosystem | Mobility DNA Professional Mobility DNA Enterprise (optional) | Limited, and many software tools are proprietary unlike Zebra's standard-based approach | No | Limited, Honeywell's Mobility Edge is 7 years behind Mobility DNA | No | Not specified | No other vendor offers such a comprehensive ecosystem of software to support rugged Android devices in the enterprise. Zebra has invested more than \$300 million in Mobility DNA and continues to invest, refining tools through multiple OS versions and thousands of deployments. Our time-tested expertise offers customers unique value with built-in utilities, applications and end-to-end enterprise solutions. |

Competitive Comparison: 10-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| | | GLOBAL | GLOBAL | GLOBAL | GLOBAL | APAC | |
|----------------------|---|--|--|---|---|-------------------------|---|
| Feature | Zebra ET4x 10-inch | Samsung Tab Active Pro 10 in. | Apple iPad 10.2 in. | Honeywell RT10 Android | Bluebird RT103 | Honeywell/Huosheng MT10 | Why it matters |
| |  |  |  |  |  | Photo not available | |
| Accessories | | | | | | | |
| Charging accessories | Multi-slot charge cradle Multi-slot battery charger Desktop charge cradle Wall charger | USB-C charger Other charging accessories may be available through third-party vendors | USB-C charger Other charging accessories may be available through third-party vendors | 2-slot battery charger Desktop cradle Wall charger | 1-slot desktop cradle Wall charger | Not specified | The ET40/ET45 offers a comprehensive range of charging accessories, from low cost single slot charge only or communication cradles to multi-slot charge and communication cradles to simplify the backroom. Unlike Samsung/Apple tablets, the ET40/ET45's charging accessories are developed, sold and supported by Zebra |
| Rugged accessories | Rugged boot increases drop spec to 5 ft./1.5 m | Available through third-party vendors | Available through third-party vendors | No | No | Not specified | Unlike Samsung/Apple tablets, the ET40/ET45's rugged boot is developed, sold and supported by Zebra. |

Competitive Comparison: 10-inch

In the following chart, where appropriate, yellow shading indicates the best specification available for a feature.

| | | GLOBAL | GLOBAL | GLOBAL | GLOBAL | APAC | |
|-------------------------|---|---|--|---|---|-------------------------|---|
| Feature | Zebra ET4x 10-inch | Samsung Tab Active Pro 10 in. | Apple iPad 10.2 in. | Honeywell RT10 Android | Bluebird RT103 | Honeywell/Huosheng MT10 | Why it matters |
| |  |  |  |  |  | Photo not available | |
| Accessories (continued) | | | | | | | |
| POS accessories | Point of Sale hub* Presentation stand* | Available through third-party vendors | Available through third-party vendors | No | No | Not specified | Only Zebra offers a complete, single vendor solution for Point of Sale applications. |
| Other accessories | Workstation cradle Hand straps Stylus VESA Mount adapter | Book covers S Pen USB-C headphone jack adapter | Folio covers Apple Pen | Vehicle dock Desktop dock Rugged keyboard Hand strap Carrying case VESA/RAM mounts | Shoulder strap Carrying case Handle | Not specified | Zebra offers a comprehensive enterprise-class accessory ecosystem – all developed, sold and supported by Zebra. |

* POS Hub and Presentation stand available Q3 2022

Sales Tools and Resources

Sales Enablement Tools

| Internal Zebra Tools | Partner Tools | External Tools |
|--|--|--|
| Product beauty/application photography | Product beauty/application photography | Spec Sheet |
| Selling guide presentation | Selling guide presentation | Customer presentation |
| Battlecard | Battlecard | Product page on Zebra.com |
| Product descriptions | Product descriptions | Product video and short videos by vertical |
| Partner top 5 reasons to sell | Partner top 5 reasons to sell | Customer top 5 reasons to buy |
| Tablet positioning guide | Tablet positioning guide | Infographic |
| The Source product page | Partner Gateway Microsite | Consumer device comparison one-pager |
| LMS training modules | LMS training modules | Interactive 3D browser |
| Pre-launch training video | Pre-launch training video | Accessory guide |

Marketing Reference Material

The Source (for internal Zebra only): <https://zebra.showpad.biz/webapp2/home>

Partner Gateway: <https://partnerportal.zebra.com>

ET40/ET45 Product Home: www.zebra.com/et40-et45

Services: www.zebra.com/zebraonecare

Learning Portal: https://partnerportal.zebra.com/PartnerPortal/resources/education/portfolio_training.aspx

Solutions Pathway: <https://solutionspathway.zebra.com>

Developer Tools: <https://developer.zebra.com>

Mobility DNA Enterprise Kit: www.zebra.com/mobility-dna-kit

Support: www.zebra.com/support



Thank You!

For more information, please visit www.zebra.com/et40-et45

ZEBRA and the stylized Zebra head are trademarks of ZIH Corp, registered in many jurisdictions worldwide.
All other trademarks are the property of their respective owners. ©2022 ZIH Corp and/or its affiliates.
All rights reserved.